

Advertisers Index

Advertising Department Staff

Debra Jahnke, Sales Manager
Joe Bottiglieri, AA1GW, Accounts Manager
Janet Rocco, Sales and Marketing Coordinator
Diane Szlachetka, Advertising Graphic Designer

800-243-7768

Direct Line: 860-594-0207 ■ Fax: 860-594-4285 ■ e-mail: ads@arrl.org ■ Web: www.arrl.org/ads

A & A Engineering	A-23
Advanced Specialties	A-12
Alinco	A-21
All Electronics Corp.	A-23
Amateur Electronic Supply LLC	A-5
AOR	A-16
ARRL	A-10, A-14, A-19, A-22, A-24
Atomic Time	A-14
C.A.T.S./Rotor Doctor	A-11
Command Productions	A-11
Crosslink/Alpha Power	A-18
Cutting Edge Enterprises	A-13
Ham Radio Outlet	Cover 2, Cover 3
High Sierra Antennas	A-4
ICOM	A-2, A-3
KØXG Systems	A-23
Kenwood	A-7
LDG Electronics	A-20
Mayberry Sales and Service Inc.	A-12
Memphis Amateur Electronics	A-14
MFJ Enterprises	A-8, A-9
NCG/Comet	A-6
Palstar Inc.	A-17
Radio Club of JHS 22 NYC	A-19
RF Parts Inc.	A-11, A-13, A-15
Richardson Electronics/House of Tubes	A-11
Nifty Ham Accessories	A-23
Tennadyne LLC.	A-12
Teri Software	A-12
Unified Microsystems	A-13
Universal Radio	A-15
W3FF Antennas	A-13

If your company provides products or services of interest to our readers, please contact the ARRL Advertising Department today for information on building your business.

Shack, Car, or Field...



Mini Multiband Marvel IC-T90A

6M/2M/70CM @ 5.5W • Wide Band RX¹. 495 - 999.99MHz • 500 Alphanumeric Memories • CTCSS & DTCSS Encode/Decode w/Tone Scan • Weather Alert • PC Programmable¹




High End 2M IC-T22A

2M @ 5W • RX 118-174 MHz Inc. Air Band RX • 40 Alphanumeric Memories • Auto Low Power & Power Saver • Auto Repeater Function • PC Programmable¹




Dual Band IC-T7H

• 2M/70CM @ 6W • RX 118-174 MHz & 400-470MHz • 70 Alphanumeric Memories • CTCSS Encode/Decode w/Tone Scan • Auto Repeater Function • PC Programmable¹



Rugged, Easy to Use IC-V8

2M @ 5.5W • 136-174 MHz (RX) • 100 Alphanumeric Memories • CTCSS & DTCSS Encode/Decode w/Tone Scan • Auto Repeater Function • PC Programmable¹




Under \$100 IC-T2H SPORT

2M @ 6W • 40 Alphanumeric Memories • Alkaline Case • CTCSS Encode/Decode w/Tone Scan • Auto Repeater Function • PC Programmable¹



True Dual Band Performance IC-W32A

2M/70CM @ 5W • 200 Alphanumeric Memories • V/V, U/U, V/U • True Simultaneous Receive • DTMF Auto Dialer w/Memory • Auto Repeater Function • PC Programmable¹



IC-756PROII Heard it. Worked it. Logged it.

- HF/6M¹² • 100W Output • 32 Bit Floating Point IF DSP & 24 Bit AD/DA Converter
- Dual Receive • Improved 3rd Order Intercept Point • Live Band Scope • 5" TFT Color Display • Selectable Digital IF Filter Shapes For SSB & CW • Built-in RTTY Demodulator & Decoder • Separate RX Only Antenna Jack • Auto Antenna Tuner • Digital Twin Passband Tuning • CW Memory Keyer • VOX • AGC Loop Management • Auto & Manual Notch
- Transverter I/O Port • Digital & Analog Meter • Digital Voice Recorder • And More



IC-746PRO HF Hot Rod

- HF/6M/2M¹² • 100W Output • 32 Bit Floating Point IF DSP & 24 Bit AD/DA Converter
- Improved 3rd Order Intercept Point • Digital Meter • Selectable Digital IF Filter Shapes For SSB & CW • Built-in RTTY Demodulator & Decoder • Auto Antenna Tuner • Digital Twin Passband Tuning • CW Memory Keyer • VOX • AGC Loop Management • Auto & Manual Notch
- 9600 Baud Packet Capable • RX Audio Equalizer • SWR Analyzer • And More



IC-718 Get into HF

- HF¹² • 100W Output Power (40W on AM) • RX Coverage 0.03 - 30MHz
- Digital S/Rf Meter • Flexible Filter Selection • 101 Memories • Multiple Scanning Functions
- Front Mounted Speaker • IF Shift • Mic Compressor • RF Gain Control • Noise Blanker
- RF Attenuator & PreAmp • Auto Notch Filter • Ample CW features including Electronic Keyer
- VOX • Optional Voice Synthesizer • And More

...Icom has you covered!



NEW IC-7800 HF Masterpiece

- HF/6M • 200W Output • Four 32 Bit Floating Point IF DSPs & 24 Bit AD/DA Converters • Two Identical, Independent Receivers • +40dBm Third Order Intercept Point • Real-time Spectrum Scope • 7" TFT Color Display • Ultra High Stability OCXO • CF Card Slot • Selectable Digital IF Filter Shapes For SSB & CW • Built-in RTTY and PSK31 Modulator & Demodulator • Four Antenna Connectors w/Auto Antenna Selector • Auto Antenna Tuner • Built-in Power Supply • Dual Digital Twin PassBand Tuning • Triple Band Stacking Register • And More

Most Icom Radios are



ask your dealer for details



IC-910H Satellite Rig

- 2M/70CM • 100W Output (75W on 70CM) • Optional 1.2GHz Operation • 9600bps High Speed Packet Port • .11uV Sensitivity • Work Two Bands at Once • CTCSS & DTCSS Encode/Decode w/Tone Scan • Weather Alert • and More



NEW IC-2200H Go Digital or Analog

- 2M • 65W Output • 207 Alphanumeric Memories • Optional Digital Operation & NEMA Compatible GPS interface that allows for GPS Location Reporting • CTCSS & DTCSS Encode/Decode w/Tone Scan • Weather Alert • and More



Remote Head
Cable Included

IC-208H Dual Band with Attitude

- 2M/70CM • 55W VHF/50W UHF • 500 Alphanumeric Memories • CTCSS/DTCSS Encode/Decode w/ Tone Scan • Wide Band RX† 118-999.990 MHz • Remote Control Mic • Dynamic Memory Scan (DMS) • DTMF Encode • 10dB Attenuator



IC-703 Ultimate QRP

- HF or HF/6M Versions • 10W-0.1W@13.5V SSB, CW, RTTY, FM / 4W ~ 0.1W @ 13.5V AM • Internal Antenna Tuner • Detachable, Removable Control Panel • DSP with Auto Notch Filter & Noise Reduction • Automatic Battery Save Mode • and More



IC-706MKIIG Proven Performer

- 160-10M/6M/2M/70CM¹² • HF/6M @ 100W, 2M @ 50W, 70CM @ 20W • 107 Alphanumeric Memories • CTCSS Encode/Decode w/Tone Scan • AM, FM, WFM, SSB, CW, RTTY; w/DSP • Auto Repeater • and More



IC-2720H V/V, U/U, V/U Operation

- 2M/70CM • 50W VHF/35W UHF Output • 212 Memories • CTCSS & DTCSS Encode/Decode w/Tone Scan • DMS • Remote Control Mic • Wide Band RX† 118-549, 810-999 MHz • Auto Repeater



IC-V8000 High Power 2M

- 2M • 75W Output • 207 Alphanumeric Memories • CTCSS & DTCSS Encode/Decode w/Tone Scan • DMS • Remote Control Mic • FM Narrow Mode • Weather Alert & Channel Scan



IC-2100H 25N 2M On a Budget

- 2M • 50W Output • 113 Alphanumeric Memories • CTCSS Encode/Decode w/Tone Scan • Remote Control Mic • MIL STD • Auto Repeater • Large Keys and Knobs

Check out www.icomamerica.com for latest specials

High Sierra AntennAs

Motorized HF Antennas You Can Use Anywhere!

El Dorado

For home or base use
 Remotely tuned Black Hawk Motor
 10 Feet Tall with 6 foot whip
 1000 Watts, Stealthy Gray Color
 3.5 to 30 MHz



i-Box™

High Sierra Antennas
 Powered by your Icom™
 To tune, press the switch
 on the i-Box™ controller



HS-1800/Pro

The World's Most Famous
 Motorized HF Antenna
 3.5 to 30 Mhz
 Rated at 1000 watts
 Motorized section 3 feet tall
 Black Hawk Motor™



k-Box™

High Sierra Antennas
 Powered by your Kenwood™
 To tune, press the AT button on the
 TS-480 and rock the switch on the
 k-Box™ controller



Sidekick™

Smallest motorized
 HF antenna ever!
 75 to 6 meters
 Base is 15 just inches tall!
 Remotely tunes in just seconds
 Famous Black Hawk Motor
 3/8-24 Base, 200 watts, black whip
 Easy to install and use



For detailed information visit
www.cq73.com

High Sierra Antennas

Profession Antennas for the Amateur™ Since 1993
 530-273-3415

Yes, you see them everywhere!



Eenie,



Yaesu FT-897D



Icom IC-756PROII



Yaesu FT-8800R, FT-8900R



Icom IC-746PRO



Icom IC-T90A

Meenie,



Yaesu FT-857D



Kenwood TS-570S(G), TS-570D(G)



Kenwood TS-480HX, TS-480SAT


Mo!

KENWOOD

Minie,



Icom IC-7800



Kenwood TH-D7A(G)



Yaesu FT-1000MP MK V

AES also sells a variety of Ham radio accessories, including antennas, coaxial cables, power supplies, amplifiers, and more.

AES
AMATEUR ELECTRONIC SUPPLY

5710 W. Good Hope Rd.
Milwaukee, WI 53223
414-358-0333
1-800-558-0411
milwaukee@aesham.com

621 Commonwealth Ave.
Orlando, FL 32803
407-894-3238
1-800-327-1917
orlando@aesham.com

28940 Euclid Ave.
Cleveland, OH 44092
440-585-7388
1-800-321-3594
cleveland@aesham.com

4640 South Polaris Ave.
Las Vegas, NV 89103
702-647-3114
1-800-634-6227
lasvegas@aesham.com


1-800-558-0411
www.aesham.com
info@aesham.com

NEW from Kuranishi Instruments LTD, Japan
BR-200 Professional-Grade SWR/Antenna Analyzer



Perform SWR and impedance measurements with confidence! The BR-200 is a laboratory grade precision test instrument providing a wide-band RF signal source for analyzing antenna systems and other equipment without the need for a separate transmitter. • 1.8-170MHz • High precision meter • 500mW 50 Ohm dummy load included • Impedance measurements: 12.5 - 300 Ohm • Connector: SO-239

COMET™ & Maldol Dualband and Multiband Base Antennas



**Wi-Fi/802.11b/LAN/HSMM
 Access Point Antennas**

COMET GP-15 • Tri-band 52/146/446MHz Base Repeater Antenna
 • Wave: 52MHz 5/8 wave x 2 • 446MHz 5/8 wave x 4 • Max Pwr: 150W
 • Length: 7'11" • Weight: 3lbs. 1oz. • Conn: Gold-plated SO-239 • 2MHz band-width after tuning (6M) • Construction: Single-piece fiberglass

COMET CX-333 • Tri-band 146/220/446MHz Base Repeater Antenna
 • Wave: 146MHz 5/8 wave x 2 • 220MHz 5/8 wave x 3 • 446MHz 5/8 wave x 5 • Max Pwr: 120W • Length: 10'2" • Weight: 3lbs. 1oz. • Conn: Gold-plated SO-239
 • Construction: Fiberglass, 2 Sections

COMET GP-3 • Dual-band 146/446MHz Base Repeater Antenna
 • Wave: 146MHz 6/8 wave • 446MHz 5/8 wave x 3 • Max Pwr: 200W • Length: 5'11" • Weight: 2lbs. 9ozs. • Conn: Gold-plated SO-239 • Construction: Single-piece fiberglass

COMET GP-6 • Dual-band 146/446MHz Base Repeater Antenna
 • Wave: 146MHz 5/8 wave x 2 • 446MHz 5/8 wave x 5 • Max Pwr: 200W • Length: 10'2" • Weight: 3lbs. 8ozs. • Conn: Gold-plated SO-239 • Construction: Fiberglass, 2 Sections

NEW

Maldol NEW HVU-8 Ultra-compact 8 band HF/UHF vertical antenna
 80/40/20/15/10/6/2M/70cm Only 1/2 the traditional size and weight of vertical HF antennas, and it includes 2M/70cm! Unique radial system rotates for balcony installations, the radials can all be rotated to one side. • HF and 6M: 1/4 wave-length • 2M: 1/2 wave-length • 70cm: Two 5/8 waves in phase
 • Impedance: 50 Ohm • Max Power: HF 200W SSB • 6M-70cm: 150W FM
 • Conn: SO-239 • Height: Only 8'6" • Weight: 5lbs. 7ozs.

COMET GP-9/GP-9N • Dual-band 146/446MHz Base Repeater Antenna • BEST SELLER!
 • Wave: 146MHz 5/8 wave x 3 • 446MHz 5/8 wave x 8 • Max Pwr: 200W • Length: 17'8"
 • Weight: 5lbs. 11ozs. • Conn: GP-9 Gold-plated SO-239 • GP-9N Gold-plated N-type female
 • Construction: Fiberglass, 3 Sections

COMET GP-24 The standard high gain 2.4GHz access point antenna for maximum range/signal strength • 2400-2500MHz • Length: 5'10" • Weight: 2lbs. 9ozs. • Conn: Gold-plated N-female • Construction: Heavy-duty white fiberglass radome

COMET GP-24-3 The same physical high gain 2.4GHz antenna as the GP-24, but with a 3-degree electrical downtilt to concentrate the signal to the horizon and below


COMET GP-24-S Medium gain access point antenna for applications where maximum distance is not as important as a solid signal around and directly below the antenna. • Length: 3'9" • Weight: 1lb. 14ozs. • Conn: Gold-plated N-female • Construction: Heavy-duty white fiberglass radome



For a complete catalog, call or visit your local dealer. Or, contact NCG Company.
 1275 N. Grove Street • Anaheim • California 92806
 (714) 630-4541 • (800) 962-2611 • Fax: (714) 630-7024 • www.natcommgroup.com

AIRWAVE SUPERIORITY

Never before has a compact HT offered as many features, and such high powered performance as the TH-F6A. Arm yourself with one today and gain your own airwave superiority.



- Triband (144/220/440 MHz)
- Receives 2 frequencies simultaneously even on the same band
- 0.1~1300MHz high-frequency range RX (B band)¹
- FM/FM-W/FM-N/AM plus SSB/CW receive
- Bar antenna for receiving AM broadcasts
- Special weather channel RX mode
- 435 memory channels, multiple scan functions
- 7.4V 1550mAh lithium-ion battery (std.) for high output² and extended operation
- 16-key pad plus multi-scroll key for easy operation
- Built-in charging circuitry for battery recharge while the unit operates from a DC supply
- Tough construction: meets MIL-STD 810 C/D/E standards for resistance to vibration, shock, humidity and light rain
- Large frequency display for single-band use
- Automatic simplex checker
- Wireless remote control function
- Battery indicator • Internal VOX • MCP software

¹Note that certain frequencies are unavailable. ²5W output

TH-F6A TRIBANDER

KENWOOD
COMMUNICATIONS

KENWOOD U.S.A. CORPORATION
Communications Division
Division Headquarters
3975 Johns Creek Court, Suwanee, GA 30024-1265
Customer Support/Distribution
P.O. Box 22745, 2201 East Dominguez St., Long Beach, CA 90801-5745
Customer Support: (310) 639-4200 Fax: (310) 537-8235

INTERNET
Kenwood Website
<http://www.kenwood.net>
Kenwood Information
<ftp://ftp.kenwood.net>



JQA-1205 091-A
ISO9001 Registered
Communications Equipment Division
Kenwood Corporation
ISO9001 certification

MFJ TUNERS

MFJ-989C Legal Limit Antenna Tuner

MFJ uses super heavy duty components to make the world's finest legal limit tuner

MFJ uses super heavy duty components -- roller inductor, variable capacitors, antenna switch and balun -- to build the world's most popular high power antenna tuner.

The rugged world famous MFJ-989C handles 3 KW PEP SSB amplifier input power (1500 Watts PEP SSB output power). Covers 1.8 to 30 MHz, including MARS and WARC bands.

MFJ's AirCore™ roller inductor, new gear-driven turns counter and weighted spinner knob gives you exact inductance control for absolute minimum SWR.

You can match dipoles, verticals, inverted vees, random wires, beams, mobile whips,



MFJ-989C


\$359⁹⁵

shortwave -- nearly any antenna. Use coax, random wire or balanced lines.

You get everything you've ever wanted in a high power, full featured antenna tuner -- widest matching range, lighted Cross-Needle SWR/Wattmeter,

massive transmitting variable capacitors, ceramic antenna switch, built-in dummy load, TrueCurrent™ Balun, scratch-proof Lexan front panel -- all in a sleek compact cabinet (10³/₄Wx4¹/₂Hx15D in).

MFJ AirCore™ Roller Inductor



gives high-Q, low loss, high efficiency and high power handling.

MFJ's exclusive Self-Resonance Killer™ keeps damaging self-resonances away from your operating frequency.

Large, self-cleaning wiping contact gives good low-resistance connection. Solid 1/4 inch brass shaft, self-align bearings give smooth non-binding rotation.

MFJ No Matter What™ Warranty MFJ will repair or replace your unit (at our option) for 1 year.

More hams use MFJ tuners than all other tuners in the world!

MFJ-986 Two knob Differential-T™



MFJ-986
\$329⁹⁵

Two knob tuning (differential capacitor and AirCore™ roller inductor) makes tuning foolproof and easier than ever. Gives minimum SWR at only one setting. Handles 3 KW PEP SSB amplifier input power (1.5 KW output). Gear-driven turns counter, lighted peak/average Cross-Needle SWR/Wattmeter, antenna switch, balun. 1.8 to 30 MHz. 10³/₄Wx4¹/₂Hx15 in.

MFJ-962D compact kW Tuner



MFJ-962D
\$269⁹⁵

A few more dollars steps you up to a KW tuner for an amp later. Handles 1.5 KW PEP SSB amplifier input power (800W output). Ideal for Ameritron's AL-811H! AirCore™ roller inductor, gear-driven turns counter, pk/avg lighted Cross-Needle SWR/Wattmeter, antenna switch, balun, Lexan front, 1.8-30MHz. 10³/₄Wx4¹/₂Hx10⁷/₈ in.

MFJ-969 300W Roller Inductor Tuner



MFJ-969
\$199⁹⁵

Superb AirCore™ Roller Inductor tuning. Covers 6 Meters thru 160 Meters! 300 Watts PEP SSB. Active true peak reading lighted Cross-Needle SWR Wattmeter, QRM-Free PreTune™, antenna switch, dummy load, 4:1 balun, Lexan front panel. 3¹/₂Hx10¹/₂Wx9¹/₂D inches.

MFJ-949E deluxe 300 Watt Tuner



MFJ-949E
\$149⁹⁵

More hams use MFJ-949s than any other antenna tuner in the world! Handles 300 Watts. Full 1.8 to 30 MHz coverage, custom inductor switch, 1000 Volt tuning capacitors, full size peak/average lighted Cross-Needle SWR/Wattmeter, 8 position antenna switch, dummy load, QRM-Free PreTune™, scratch proof Lexan front panel. 3¹/₂Hx10⁷/₈Wx7D inches. MFJ-948, \$129.95. Economy version of MFJ-949E, less dummy load, Lexan front panel.

MFJ-941E super value Tuner

The most for your money! Handles 300 Watts PEP, covers 1.8-30 MHz, lighted Cross-Needle SWR/Wattmeter, 8 position antenna switch, 4:1 balun, 1000 volt capacitors, Lexan front panel. Sleek 10¹/₂Wx2¹/₂Hx7D in.



MFJ-941E
\$119⁹⁵

MFJ-945E HF/6M mobile Tuner

Extends your mobile antenna bandwidth so you don't have to stop, go outside and adjust your antenna. Tiny 8x2x6 in. Lighted Cross-Needle SWR/Wattmeter. Lamp and bypass switches. Covers 1.8-30 MHz and 6 Meters. 300 Watts PEP. MFJ-20, \$4.95, mobile mount.



MFJ-945E
\$109⁹⁵

MFJ-971 portable/QRP Tuner

Tunes coax, balanced lines, random wire 1.8-30 MHz. Cross-Needle Meter. SWR, 30/300 or 6 Watt QRP ranges. Matches popular MFJ transceivers. Tiny 6x6¹/₂x2¹/₂ in.



MFJ-971
\$99⁹⁵

MFJ-901B smallest Versa Tuner

MFJ's smallest (5x2x6 in.) and most affordable wide range 200 Watt PEP Versa tuner. Covers 1.8 to 30 MHz. Great for matching solid state rigs to linear amps.



MFJ-901B
\$79⁹⁵

MFJ-902 tiny Travel Tuner

World's tiniest wide range, full-power 150 Watt 80-10 Meter Tuner for coax, random wire. Bypass switch, real air-variable capacitors. 4¹/₂x2¹/₂x3 inches.



MFJ-902
\$79⁹⁵

MFJ-16010 random wire Tuner

Reversible L-network. Turns random wire into powerful transmitting antenna. 1.8-30 MHz. 200 Watts PEP. 2x3x4 in. MFJ-16010



MFJ-16010
\$49⁹⁵

MFJ-906/903 6 Meter Tuners

MFJ-906 has lighted Cross-Needle SWR/Wattmeter, bypass switch. Handles 100 W FM, 200W SSB. MFJ-906
\$79⁹⁵



MFJ-921/924 VHF/UHF Tuners

MFJ-921 covers 2 Meters/220 MHz. MFJ-924 covers 440 MHz. SWR/Wattmeter. 8x2¹/₂x3 in. Simple 2-knob tuning for mobile or base. MFJ-921/924
\$69⁹⁵



MFJ-931 artificial RF Ground

Eliminates RF hot spots, RF feedback, TVI/RFI, weak signals caused by poor RF grounding. Creates artificial RF ground. Electrically places far away RF ground directly at your rig by tuning out reactance of connecting wire. MFJ-931
\$89⁹⁵



Free MFJ Catalog and Nearest Dealer . . . 800-647-1800

<http://www.mfjenterprises.com>

• 1 Year No Matter What™ warranty • 30 day money back guarantee (less s/h) on orders from MFJ

MFJ ENTERPRISES, INC.
Box 494, Miss. State, MS 39762
(662) 323-5869; 8-4:30 CST, Mon.-Fri.
FAX: (662) 323-6551; Add s/h
Tech Help: (662) 323-0549

Prices and specifications subject to change. (c) 2004 MFJ Enterprises, Inc.

1.8-170 MHz *plus* 415-470 MHz MFJ HF/VHF/UHF Antenna Analyzer

All-in-one handheld antenna test lab lets you quickly check and tune HF, VHF, UHF antennas anywhere. Covers 1.8-170 MHz and 415-470 MHz Measures: SWR... Return Loss... Reflection Coefficient... Antenna Resistance(R), Reactance(X), Impedance(Z) and Phase Angle(degrees) ... Coax cable loss(dB) ... Coax cable length ... Distance to short or open in coax ... Inductance ... Capacitance ... Resonant Frequency ... Bandwidth ... Q ... Velocity Factor ... Attenuation ... Has: LCD readout ... frequency counter ... side-by-side meters ... Ni-MH/Ni-Cad charger circuit ... battery saver ... low battery warning ... smooth reduction drive tuning ... One year No Matter What™ warranty...

You can instantly **\$359⁹⁵** get a complete picture, check and tune any antenna from 1.8 to 170 MHz and 415 to 470 MHz -- an MFJ-269 exclusive -- with this rugged easy-to-use handheld antenna test lab! You can measure virtually every antenna parameter. You won't believe its capability and versatility. This rugged handheld unit literally replaces a workbench full of expensive delicate test equipment.

SWR Analyzer

You can read SWR, return loss, reflection coefficient and match efficiency at any frequency simultaneously at a single glance.

Complex Impedance Analyzer

Read Complex Impedance (1.8 to 170 MHz) as series equivalent resistance and reactance ($R_s + jX_s$) or as magnitude (Z) and phase (degrees). Also reads parallel equivalent resistance and reactance ($R_p + jX_p$) -- an MFJ-269 exclusive!

Coax Analyzer

You can determine velocity factor, coax loss in dB, length of coax and distance to short or open in feet (it's like a built-in TDR).

Coax Calculator™ lets you calculate coax line length in feet given electrical degrees and vice versa for any frequency and any velocity factor -- an MFJ-269 exclusive!

Use any Characteristic Impedance

You can measure SWR and loss of coax with any characteristic impedance (1.8 to 170 MHz) from 10 to over 600 Ohms, including 50, 51, 52, 53, 73, 75, 93, 95, 300, 450 Ohms -- an MFJ-269 exclusive!

Inductance/Capacitance Meter

Measures inductance in uH and capacitance in pF at RF frequencies, 1.8-170 MHz.

Frequency Counter/Signal Source

You can also use it as a handy frequency counter up to 170 MHz and as a signal source for testing and alignment.

Digital and Analog displays

A high contrast LCD gives precision readings and two side-by-side analog meters make antenna adjustments smooth and easy.

415 to 470 MHz Range features

Just plug in your UHF antenna coax, set frequency and read SWR, return loss and reflection coefficient simultaneously. You can read coax cable loss in dB and match efficiency.

You can adjust UHF dipoles, verticals,



yagis, quads and others and determine their SWR, resonant frequency and bandwidth.

You can test and tune stubs and coax lines. You can manually determine velocity factor and impedances of transmission lines.

You can adjust/test RF matching networks and RF amplifiers without applying power.

Has easy-to-read LCD logarithmic SWR bargraph and SWR meter for quick tuning.

Much Better Accuracy

New 12-bit A/D converter gives much better accuracy and resolution than common 8-bit A/D converters -- an MFJ-269 exclusive!

Super Easy-to-Use

Select a band and mode. Set frequency. Your measurements are instantly displayed! Smooth reduction drive tuning makes setting frequency easy.

Take it anywhere

Take it anywhere - to remote sites, up towers, in cramped places. Fully portable -- battery operated, compact 4Wx2Dx6¾ in., weighs 2 lbs. Free "N" to SO-239 adapter.

Has battery saver, low battery warning and built-in charging circuit for rechargeables.

Use 10 AA Ni-MH or Ni-Cad or alkaline batteries (not incl.) or 110VAC with MFJ-1312D, \$14.95.

MFJ SWR Analyzer Accessories

Carrying Case. MFJ-39C, \$24.95. Tote your MFJ-269 anywhere with this genuine MFJ custom carrying case. Has back pocket with security cover for carrying dip coils, adaptors and accessories.

Made of special foam-filled fabric, the MFJ-39C cushions blows, deflects scrapes, and protects knobs, meters and displays from harm.

Wear it around your waist, over your shoulder, or clip it onto the tower while you work -- the fully-adjustable webbed-fabric carrying strap has snap hooks on both ends.

Has clear protective window for LCD display and cutouts for knobs, connectors.

Dip Coils. MFJ-66, \$19.95.

Plug these MFJ dip meter coupling coils into your MFJ-269 and turn it into a sensitive, accurate band switched dip meter.

Two coils cover 1.8-170 MHz.

Power Pack. MFJ-99C, \$34.95 -- Save \$5! 10 MFJ Ni-MH batteries, MFJ-1312D AC adapter.

Accessory Pack. MFJ-98, \$54.85 -- Save \$5! MFJ-39C custom Carrying case, MFJ-66 dip coils, MFJ-1312D AC adapter.

Deluxe Accessory Pack. MFJ-98B, \$77.85. Save \$7! Complete accessory pack! MFJ-39C carry case, 10 Ni-MH batteries, MFJ-66 dip coils, MFJ-1312D AC adapter.

MFJ-259B SWR Analyzer™

\$259.95. Has most of the features of the MFJ-269, but covers 1.8-170 MHz.

Deluxe Accessory Pack

MFJ-99B, \$77.85. Save \$7! 10 Ni-MH batteries, MFJ-1312D AC adapter, MFJ-29C carrying case, MFJ-66 dip coils.

Free MFJ Catalog

and Nearest Dealer ... 800-647-1800

<http://www.mfjenterprises.com>

• 1 Year No Matter What™ warranty • 30 day money back guarantee (less s/h) on orders direct from MFJ

MFJ MFJ ENTERPRISES, INC.
300 Industrial Pk Rd, Starkville,
MS 39759 PH: (662) 323-5869
Tech Help: (662) 323-0549

FAX: (662) 323-6551 8-4:30 CST, Mon.-Fri. Add shipping.
Prices and specifications subject to change. (c) 2004 MFJ Enterprises, Inc.

MFJ... the World Leader in Ham Radio Accessories!

ARRL




SHOP DIRECT or call for a dealer near you.

PUBLICATIONS

ONLINE WWW.ARRL.ORG ORDER TOLL-FREE 888/277-5289 (US)


The Ultimate Source for Ham Radio Knowledge Books, CD-ROMs, videos, online courses and more...



APRS—Moving Hams on Radio and the Internet

A Guide to the Automatic Position Reporting System.


ARRL Order No. 9167—\$17.95 plus s&h



ARRL's Low Power Communication—2nd edition

The Art and Science of QRP. Build, experiment, operate and enjoy ham radio on a shoestring budget.


ARRL Order No. 9175—\$19.95 plus s&h



ARRL's HF Digital Handbook—3rd edition

Learn how to use many of the digital modes to talk to the world; PSK31, RTTY FACTOR, Q15X25 and more!


ARRL Order No. 9159—\$19.95 plus s&h



The ARRL Operating Manual—8th edition

The most complete book about Amateur Radio operating. Everything for the active ham!


ARRL Order No. 9132—\$25 plus s&h



ARRL's RF Amplifier Classics

Amps for HF, MF VHF and microwave. Practical designs and construction details for classic tube and solid-state amplifiers at power levels from 5 W to 1.5 kW.


ARRL Order No. 9310—\$19.95 plus s&h



VoIP: Internet Linking for Radio Amateurs

A guide to some of the popular VoIP systems used by hams: EchoLink, IRLP, eQSO and WIRES-II.

ARRL Order No. 9264—\$17.95 plus s&h



L/C/F and Single-Layer Coil Winding Calculator

A handy gadget for the homebrewer's toolbox! Quick and easy circuit calculations.

ARRL Order No. 9123—\$12.95 plus s&h

ARRL The national association for AMATEUR RADIO

SHOP DIRECT or call for a dealer near you.

ONLINE WWW.ARRL.ORG/SHOP

ORDER TOLL-FREE 888/277-5289 (US)

Shipping and Handling charges apply. Sales Tax is required for orders shipped to CA, CT, VA, and Canada.


Prices and product availability are subject to change without notice.



ROTOR PARTS



Alliance,
CDE,
Hy-Gain



www.Rotor-Parts.com

C.A.T.S.


7368 S.R. 105

Pemberville, OH 43450

Contact: N8DJB

VISA

MasterCard



Be an FCC LICENSED ELECTRONIC TECHNICIAN!

The Original Home-Study course prepares you for the "FCC Commercial Radiotelephone License" at home in your spare time. No previous experience needed. Our proven "Self-Study" course makes learning fast and easy!

Get your FCC License and be qualified for exciting jobs in Communications, Radar, Radio-TV, Microwave, Maritime, Avionics and more... even start your own business!

GUARANTEED TO PASS - You get your FCC License or your money refunded. Send for FREE facts now.

Call **800-932-4268** Ext. 99
www.LicenseTraining.com

COMMAND PRODUCTIONS
FCC LICENSE TRAINING - Dept. 99
P.O. Box 3000 • Sausalito, CA 94966
Please rush FREE details immediately!

Name _____
Address _____
City _____ State _____ Zip _____

THE HOUSE OF TUBES

Now a Richardson Electronics Company!

Transmitting & Audio Tubes
Immediate Shipment
from Stock!

3-500Z	4CX1500A	6JE6C-MODIFIED
3-1000Z	4CX1500B/8660	6KG6/EL509
3CPX800A7	4X150A/7034	6KG6A/EL519
3CPX1500A7	572B/T160L	7289/3CX100A5
3CX400A7/8874	5894	807
3CX400U7	5894A	811A
3CX800A7	5894B/8737	813
3CX1500A7/8877	5AR4-CHINA	833A
4-400A	5CX1500A	836-JAN
4-400C	5CX1500B	8072
4-1000A	5R4GA/5R4GB/GY	8298A/6146B
4CX250B/7203	6146A	8873
4CX250R/7580W	6146W-JAN	8907
4CX350A/8321	6JB6A	and
4CX1000A/8168	6JE6C/6LQ6	much more!




Whether you're an audiophile, amateur radio hobbyist, or musician, House of Tubes has the tube for you.

We know that tubes are the heart of a transceiver and the soul of an amplifier. Finding reliable, yet affordable, tubes is important. At House of Tubes, we are dedicated to offering the finest audio tubes and components.

For convenient searching and ordering, visit us on-line:
www.house-of-tubes.com

E-mail:
landlord@houseoftubes.com



TUBES—
They're our foundation.

From **MILLIWATTS** to **KILOWATTS**
More Watts per Dollar



Quality
Transmitting & Audio Tubes

Taylor
TUBES



- COMMUNICATIONS
- BROADCAST
- INDUSTRY
- AMATEUR

Immediate Shipment from Stock

3CPX800A7	3CX15000A7	4CX5000A	813
3CPX5000A7	3CX20000A7	4CX7500A	833A
3CW20000A7	4CX250B	4CX10000A	833C
3CX100A5	4CX250B/C	4CX15000A	845
3CX400A7	4CX250B/T	4X150A	866-SS
3CX400U7	4CX250F/G	YC-130	872A-SS
3CX800A7	4CX250R	YU-106	5867A
3CX1200A7	4CX350A	YU-108	5868
3CX1200D7	4CX350F	YU-148	6146B
3CX1200Z7	4CX400A	YU-157	7092
3CX1500A7	4CX800A	5728	3-500ZG
3CX2500A3	4CX1000A	805	4-400A
3CX2500F3	4CX1500A	807	M328/TH328
3CX3000A7	4CX1500B	810	M338/TH338
3CX6000A7	4CX3000A	811A	M347/TH347
3CX10000A7	4CX3500A	812A	M382

— TOO MANY TO LIST ALL —



ORDERS ONLY:
800-RF-PARTS • 800-737-2787

Se Habla Español • We Export

TECH HELP / ORDER / INFO: 760-744-0700

FAX: 760-744-1943 or 888-744-1943



An Address to Remember:
www.rfparts.com

E-mail:
rfp@rfparts.com



HONDA GENERATORS

What are you plugging into?

- **Super quiet running**
(Quieter than normal speech! 53- 59 dB)
- **Inverter technology**
(Run sensitive electronics & computers worry free!)
- **Lightweight & portable**
(Easy to carry - weighs less than 47 pounds!)
EF1000 & EU1000 each weigh less than 30lbs!
- **Variable smart throttle**
(Automatically adjusts engine speed to precisely match load, resulting in greater fuel efficiency and noise reduction.)



EF1000iS



EU2000iA



We stock and sell the full line of
Honda & Yamaha Generators at discounted
prices. Shipped direct from us to you!



Call us for current sale prices:
800-696-1745

VISA MasterCard DISCOVER AMERICAN EXPRESS
232 Main Street / PO Box 113
- Port Murray, NJ 07865 -

MAYBERRY
SALES & SERVICE, INC.

Please read your owner's manual before operating your Honda Power Equipment. Connection of a generator to house power requires a transfer device to avoid possible injury to power company personnel. Consult a qualified electrician

www.TENNADYNE.com

Worldwide Leader
in Log-Periodic
Communications
Antennas

Aluminum with a PhD

5-Band HF (13 thru
30 MHz) from \$489


Several different
models covering
HF, VHF, UHF and
Microwave frequency
ranges are available.

616-868-9907

Free Shipping to 48

tennadyne@tennadyne.com

A picture is worth a thousand words...



With the all-new

ANTENNA MODEL™

wire antenna analysis program for Windows you get true 3D far field patterns that are far more informative than conventional 2D patterns or wire-frame pseudo-3D patterns.

Describe the antenna to the program in an easy-to-use spreadsheet-style format, and then with one mouse-click the program shows you the antenna pattern, front/back ratio, front/rear ratio, input impedance, efficiency, SWR, and more.

An optional **Symbols** window with formula evaluation capability can do your computations for you. A **Match Wizard** designs Gamma, T, or Hairpin matches for Yagi antennas. A **Clamp Wizard** calculates the equivalent diameter of Yagi element clamps. A **Yagi Optimizer** finds Yagi dimensions that satisfy performance objectives you specify. Major antenna properties can be graphed as a function of frequency.

There is **no built-in segment limit**. Your models can be as large and complicated as your system permits.

ANTENNA MODEL is only \$85US. This includes a Web site download and a permanent backup copy on CD-ROM. Visit our Web site for more information about **ANTENNA MODEL**.

Teri Software
P.O. Box 277
Lincoln, TX 78948

www.antennamodel.com

e-mail sales@antennamodel.com
phone 979-542-7952

ADVANCED SPECIALTIES INC.

New Jersey's Communications Store



YAESU
Choice of the World's top DXers™

ALINCO
AMATEUR RADIO'S VALUE LEADER™

VX-7R
Quadband
Submersible HT



DR-235T
222MHz Mobile
Alphanumeric Display



FT-2800M
65W 2M Mobile



FT-857D
HF, 6M, 2M, 70 CM

Authorized Dealer

* ALINCO * LARSEN
* COMET * MALDOL * MFJ
* UNIDEN * LDG * MAHA * ANLI
* RANGER * YAESU * PRYME

FT-8900R
10M, 6M, 2M,
70 CM FM Mobile



DJ-V5
Wideband
2M/70 CM FM
Handheld



AMATEUR RADIO - SCANNERS - BOOKS
ANTENNAS - MOUNTS - FILTERS
ACCESSORIES & MORE

Closed Sunday & Monday
Orders/Quotes 1-800-926-9HAM

(201)-VHF-2067
114 Essex Street,
Lodi, NJ 07644



Big Online Catalog at
www.advancedspecialties.net

W3FF ANTENNAS

The BUDDIPOLE™ Portable Dipole

fits in your travel bag and assembles in minutes. The **Buddipole™** is more than an antenna, it's a **versatile system** for launching your signal. Optimized for transmit power and **proven for DX work**, the Buddipole™ is the **secret weapon** used by HF portable operators all over the world.



GO ANYWHERE. DO ANYTHING. TAKE THE BUDDIPOLE™ WITH YOU.



The standard Buddipole contains 2 ultralight antenna arms (available in blue or black), 2 adjustable coils with 3 removeable coil taps, one center Tee, two stainless steel telescopic whips, coax assembly with choke balun, antenna bag with stretch velcro straps, and thermoplastic carrying case (not shown).



W3FF
ANTENNAS

GO TO
www.buddipole.com


What is the BUDDIPOLE?

- Portable Dipole Antenna System
- Multi-band design works 9 bands – 40 meters thru 2 meters with one set of adjustable coils!
- Rated from QRP to 250 Watts PEP
- Modular Design – experiment with many different designs with our interchangeable parts
- Rotatable/Directional
- Lightweight, rugged components
- Optional Rotating Arm Kit allows users to instantly change antenna configurations in the field
- Used by the U.S. Military Special Forces and Emergency Services Groups throughout the world
- Big Antenna Performance in a small package!

2390 Templeton Drive | phone: (530) 226 8446
Redding, CA 96002 | fax: (530) 232 2753
e-mail: sales@buddipole.com

From MILLIWATTS to KILOWATTS

More Watts per Dollar



- **Wattmeters**
- **Transformers**
- **TMOS & GASFETS**
- **RF Power Transistors**
- **Doorknob Capacitors**
- **Electrolytic Capacitors**
- **Variable Capacitors**
- **RF Power Modules**
- **Tubes & Sockets**
- **HV Rectifiers**



ORDERS ONLY:
800-RF-PARTS • 800-737-2787

Se Habla Español • We Export

TECH HELP / ORDER / INFO: 760-744-0700

FAX: 760-744-1943 or 888-744-1943

An Address to Remember:
www.rfparts.com

E-mail:
rfp@rfparts.com



UM Unified Microsystems



VK-64 Combo Voice/CW Keyer

Voice keyer and full feature CW memory keyer in a single package. Front panel operation or control through your laptop or PC printer port.

The W9XT Contest Card

This voice keyer and CW interface plugs into your PC's ISA slot. Four 15 second messages.

BCD-10 Band Decoder

Use band port signals from selected Yaesu® rigs or PC printer port for automatic antenna switching as you change bands.

XT-4 CW Memory Keyer

Battery powered and small size for VHF rover, FD, DXpeditions and vacations. 4 memories.

XT-4BEACON - CW Beacon IDer

Easy to program IDer for VHF beacons. Low power. Selectable speeds 5-25 WPM.

Visit our web site for new products.

Unified Microsystems
PO Box 133
Slings, WI 53086
262-644-9036
www.unifiedmicro.com

POWERPORT™

by CUTTING EDGE ENTERPRISES

Mobilize Communications



NEO \$14.49



Radio Glove \$19.95

The absolute best in pouches, packs and accessories for all your radio needs.



Gear Harness is lightweight, cooler, with large zippered map pocket, 2 radio pockets. \$36.95

800-206-0115

www.powerportstore.com

MEMPHIS AMATEUR ELECTRONICS, INC.

1465 WELLS STATION ROAD

MEMPHIS, TENNESSEE 38108

WWW.MEMPHISAMATEUR.COM



901-683-9125

voice

800-238-6168

toll free

901-682-7165

fax

WE TRADE! FULL SERVICE DEALER

Serving the Amateur Community for over 45 years
Our staff has over 100 years of combined experience



ATOMIC TIME

1010 Jorie Blvd. #332
Oak Brook, IL 60523
1-800-985-8463
www.atomictime.com



ADWA101

14" LaCrosse Black Wall
WT-3143A \$29.95>

This wall clock is great for an office, school, or home. It has a professional look, along with professional reliability. Features easy time zone buttons, just set the zone and go! Runs on 1 AA battery and has a safe plastic lens.

Digital Chronograph Watch
< ADWA101 \$49.95

Our feature packed Chrono-Alarm watch is now available for under \$50! It has date and time alarms, stopwatch backlight, UTC time, and much more!
Use coupon code: ADWA49



WT-3143A



0740R

Digital Alarm Clock
<0740R \$19.95

This desktop alarm clock measures 3.5" x 5.5" providing an easy to read large LCD display. The display shows time with seconds, day, date, temperature and signal reception indicator. It can also set to either 12 hour or 24 hour time. Sets to P, M, C, or E zones.

1-800-985-8463
www.atomictime.com



WS-8007U-C

^LaCrosse Digital Wall Clock \$34.95
This digital wall / desk clock comes with a beautiful cherry wood frame. It shows time, date, day of week, temperature and moon phase. 12/24 format.

Tell time by the U.S. Atomic Clock -The official U.S. time that governs ship movements, radio stations, space flights, and war-planes. With small radio receivers hidden inside our timepieces, they automatically synchronize to the U.S. Atomic Clock (which measures each second of time as 9,192,631,770 vibrations of a cesium 133 atom in a vacuum) and give time which is accurate to approx. 1 second every million years. Our timepieces even account automatically for daylight saving time, leap years, and leap seconds. \$7.95 Shipping & Handling via UPS. (Rush available at additional cost) Call M-F 9-5 CST for our free catalog.



Secure the
future of ARRL...

Support The ARRL Endowment!

Once you have provided for your loved ones, a bequest or other planned gift to ARRL will build The ARRL Endowment. Your contribution will be invested, and you will be welcomed into the ARRL Legacy Circle.

For more information contact:
Mary M. Hobart, K1MMH
Chief Development Officer
ARRL
225 Main Street
Newington CT 06111-1494
Telephone: 860-594-0397
Email: mhobart@arrrl.org
www.arrrl.org/development

Quality Radio Equipment Since 1942

AMATEUR TRANSCEIVERS



Universal Radio is your authorized dealer for all major amateur radio equipment lines including: Alinco, Icom, Yaesu, Kenwood and SGC.

SHORTWAVE RECEIVERS



Whether your budget is \$50, \$500 or \$5000, Universal can recommend a shortwave receiver to meet your needs. Universal is the *only* North American authorized dealer for *all* major shortwave lines including: Drake, Icom, Yaesu, Japan Radio Company, Ten-Tec, Grundig, etón, Sony, Sangean, Palstar, RFspace and Kaito.

WIDEBAND RECEIVERS



Universal Radio carries a broad selection of wideband and scanner receivers. Alinco, AOR, Icom, Yaesu and Uniden models are offered at competitive prices. Portable and tabletop models are available.

ANTENNAS AND ACCESSORIES

Your antenna is just as important as your radio. Universal carries antennas for every need, space requirement and budget. Please visit our website or request our catalog to learn more about antennas.

BOOKS

Whether your interest is amateur, shortwave or collecting; Universal has the very best selection of radio books and study materials.

USED EQUIPMENT

Universal carries an extensive selection of used amateur and shortwave equipment. All items have been tested by our service department and carry a 60 day warranty unless stated otherwise. Request our monthly printed used list or visit our website:


www.universal-radio.com

VISIT OUR WEBSITE

Guaranteed lowest prices on the web? Not always. But we **do** guarantee that you will find the Universal website to be the **most** informative.

www.universal-radio.com

VISIT OUR SHOWROOM



Showroom Hours

Mon.-Fri. 10:00 - 5:30
Thursday 10:00 - 7:00
Saturday 10:00 - 3:00



FREE 100 PAGE CATALOG

Our informative print catalog covers everything for the amateur, shortwave and scanner enthusiast. All items are also viewable at:

www.universal-radio.com


Universal Radio, Inc.
6830 Americana Pkwy.
Reynoldsburg, OH 43068

➤ 800 431-3939 Orders
➤ 614 866-4267 Information
➤ 614 866-2339 Fax
➤ dx@universal-radio.com

- ✓ Established in 1942.
- ✓ We ship worldwide.
- ✓ Visa, Master and Discover cards.
- ✓ Used equipment list available.
- ✓ Returns subject to 15% restocking fee.

universal radio inc.

From
MILLIWATTS
to **KILOWATTS**sm
More Watts per Dollarsm



- Transistors
- Power Modules
- Semiconductors



ORDERS ONLY:
800-RF-PARTS • 800-737-2787

Se Habla Español • We Export

TECH HELP / ORDER / INFO: 760-744-0700

FAX: 760-744-1943 or 888-744-1943



An Address to Remember:
www.rfparts.com

E-mail:
rfp@rfparts.com



RF PARTS
COMPANY

AOR ARD9800 Fast Modem – Digital Voice and Image Interface

Convert Your Analog Transceiver to Digital Voice & Image In One Easy Step!

No transceiver modifications are necessary.

See Our Product Review in
February 2004 QST



*Use any conventional voice transceiver for
digital voice communications and images*
while you maintain analog capabilities.*

*The ARD9800 is a breakthrough in communications technology.
By simply connecting the ARD9800 to a pair of transceivers,
clear, reliable digital communications are a reality.*

- **Digital voice communications using existing analog 2way radios.**

The ARD9800 uses the same audio frequencies (300 Hz ~ 2500 Hz) as microphone audio to modulate the voice signal. This allows you to use an analog radio as a digital voice radio.

- **Works on Single Side Band (SSB) mode.**

The Automatic frequency clarifier function adjusts frequency drift automatically in the SSB mode. (Approximately up to +/- 125 Hz). Utilizes the OFDM (Multi Carrier Modulation) circuit that is effective against Multi-path or Selective Fading, a powerful tool against adverse band conditions.

- **Automatic digital receive**

Automatic voice signal detector recognizes the received signal as analog or digital, automatically switching to the appropriate mode.

- **Digital Slow Scan TV***

Built-in video capture function (NTSC). Compresses the signal into AOR's original adaptive JPEG. Send and receive images (similar to analog slow scan TV, but better) in the digital mode. Built-in video output connector (NTSC) allows viewing the picture on an external monitor.

- **Built-in high grade Vocoder (AMBE)**

Utilizing high-grade digital voice compression delivers quality digital voice communications.

- **Built-in FEC error correction**

A powerful error correction circuit delivers stable and reliable communications also allowing "round table" conversations.

- **Small and compact unit. Easy to operate.**

Simply connect the ARD9800 between the microphone jack and microphone. No complicated modifications necessary.

- **Utilizes a uniquely designed high performance DSP engine**

- **Uses the established G4GUO open protocol**

**Digital Amateur Radio could
be the biggest development
on the ham bands since SSB!
Be sure to see the FAQ at
www.aorusa.com/**



AOR U.S.A., Inc.
20655 S. Western Ave., Suite 112, Torrance, CA 90501, USA
Tel: 310-787-8615 Fax: 310-787-8619
info@aorusa.com <http://www.aorusa.com>

*image feature requires optional memory module.
Specifications subject to change without notice or obligation.



AT1500CV Antenna Tuner: Frequency range: 1.8 - 30 MHz; Power rating: 1000 W single tone (1500 W PEP); Antenna matching: Two air variables (315 pF @ 4 kV) ceramic body silver plated roller coil; Meter: Dual cross-needle, yellow face, 9 - 12 V dc for lamp; Balun: Ferrite 4:1 (balun included).
Dimensions: 12.5" W x 4.5" H x 11.5" D. **Price: \$459.95**



AT1500BAL Antenna Tuner: Dual roller balanced L antenna tuner; Power rating: 1500 W PEP; Total inductance of 44 μ H for extended range on 160m; Switchable 500 pF fixed capacitor for 160m; Impedance matching ranges: 160m - 20m: 2500 Ω +/- j2500; 15m: 1000 Ω +/- j1000; 10m: 500 Ω +/- j500; Two edge-wound silver plated ball bearing drive roller inductors driven synchronously with toothed fiberglass belt; New low minimum value variable capacitor with vernier drive.
Dimensions: 12 1/2" W x 6 1/2" H x 15" D. **Price: \$695.95**



AT4K Antenna Tuner: Power rating: 2500 W single tone continuous; Wide matching range; Unbalanced/Balanced output; High power balun at the input; T match circuit; Impedance matching range: 8 Ω to 2000 Ω ; 500 pF variable capacitors at 6 kV; 10 A edge-wound solid copper silver plated roller inductor; Dual cross needle meter; switchable antenna connections with 10 A RF switch assembly.
Dimensions: 15" W x 7" H x 16" D. **Price: \$895.00**



AT1KM Antenna Tuner: Quick tuning with only two controls; Power rating: 1200 W PEP; Analog cross-needle metering with dual power ranges: 0 - 300 W / 0 - 3000 W; 6-position switch for multiple antennas; Differential capacitor tuning with two stators and one rotor (430 pF/19 pF/430 pF @ 3.5 kV); Palstar designed ceramic body roller inductor; High power ferrite 4:1 balun.
Dimensions: 10 1/2" W x 4 1/2" H x 11" D. **Price: \$359.00**



R30C(CC) Shortwave Receiver: 100 kHz - 29.9999 MHz AM, SSB(U/L); 455 kHz Bandwidth: 5.8 kHz AM and 2.5 kHz SSB; 4-pole crystal filter at 45 MHz; Variable rate tuning with knob: 20 Hz - 100 Hz and 100 Hz - 500 Hz; 500 kHz up/down; 45 MHz 1st IF, 455 kHz 2nd IF; RF derived AGC, 7-pole input filters;
Dimensions: 8" W x 2.5" H x 9" D. **Price: R30C \$575.00; R30CC \$650.00**



DL5K 5000 Watt Dummy Load: Frequency range: DC to 30 MHz; Power rating: 5000 W single tone CW max; Impedance: 55 Ω +0/-110%; SWR: <1.2:1 from 1 to 30 MHz; Fan system: Thermostatically controlled; Fans: Two @ 160 cfm/1.6 A @ 12 V dc (Special switch mode PS inc.); Built-in wattmeter with analog metering and dual power ranges: 500 W LOW and 5000 W HIGH.
Dimensions: 9" W x 8" H x 14" D. **Price: \$399.95**



DL2K 2000 Watt Dummy Load: Frequency range: DC to 30 MHz; Power rating: 2000 W for 1.5 minutes; Fan cooled (switched); Built in wattmeter with analog metering; Re-designed with switches on front of unit. Solid, reliable construction;
Dimensions: 6" W x 5" H x 12 1/2" D. **Price: \$199.95**



WM150/W150M SWR/Wattmeters: Measures and displays forward and reflected power and SWR simultaneously; Frequency range: 1.8 to 60 MHz; Power rating: 1500 W; True shielded directional coupler; Backlit cross needle meter displays either peak or average power; 300 and 3000 W range settings; Mobile & base model versions shown; 115 V ac to 12 V dc adapter included with WM150; Mobile version features remote directional coupler with 14-foot cable.
Dimensions: 4.5" W x 3.25" H x 3.25" D. **Price: \$109.95**

ALPHA POWER



WORLD'S FINEST LINEAR AMPS

alpha-sales@crosslinkinc.com

303-473-9232 ext. 151

THE STANDARD OF EXCELLENCE FOR THREE DECADES

MISSION CRITICAL AMPLIFIERS FOR AMATEUR AND COMMERCIAL USE

Feedback on ALPHA:

"VERY RELIABLE"

"The 87A is an amazing product! Also amazing was the speed and helpfulness of your technical support."

"I want another one soon!"

"Who could ask for more, a great product with great support."

KK9A

ALPHA 99

- Conservative maximum legal power
- All HF bands, all modes no time limit
- MASSIVE tape-wound HIPERSIL[®] transformer



ALPHA 87A

- Auto bandswitching and tuneup in less than one second
- Compatible with all modern transceivers
- Easy to field program each band in 5 segments for exact match to your antennas



Introducing the 4510 WATTMETER



- 1.8-30 MHz frequency range
- 30mW to 3000W measurement range
- 9 RF power display ranges
- PEP or Tune/Carrier modes
- Lab accuracy/contest grade features
- Windows application included
- High contrast illuminated displays
- Auto-sense power direction
- Frequency AND temperature compensated for accuracy

Visit our website for a complete line of wattmeters, HF amplifiers, parts, service and technical support:

www.alpha-amps.com

Proud co-sponsor of the 2005 Peter 1 DXpedition

Radios You Can Write Off-Kids You Can't



DONATE YOUR RADIO

RADIO CLUB OF JUNIOR HIGH SCHOOL 22, PO BOX 1052, NEW YORK NY 10002
Call 516-674-4072 FAX 516-674-9600 e-mail: crew@wb2jkj.org www.wb2jkj.org



- ❖ Turn your excess Ham Radios and related items into a tax break for you and a learning tool for kids.
- ❖ Donate radios or related gear to an IRS approved 501(c)(3) charity. Get the tax credit and help a worthy cause.
- ❖ Equipment picked up anywhere or shipping arranged.

Bringing Communication to Education Since 1980



You can make a difference in The ARRL Diamond Club

“Through their willingness to do a bit more because they can, Diamond Club participants help ARRL do more for Amateur Radio while keeping membership as accessible as possible for everyone.”—

David Sumner, K1ZZ
December 2003 QST

Join the Diamond Club Supporters
who put their contributions to work
for all of Amateur Radio and you!

Mary M. Hobart, K1MMH
Chief Development Officer

225 Main Street Telephone 860-594-0397
Newington CT 06111-1494 Email: mhobart@arrl.org

On the web at www.arrl.org/diamondclub,

Antenna Tuners for Your Applications

LDG Autotuners will match your antenna with an SWR up to 10:1 down to 1.5:1 or less!

- Gone are the days of endlessly spinning knobs on a manual tuner
- Switched L network gives you the most efficient power transfer to your antenna
- All tuners are microprocessor controlled and operate on +12VDC
- Interfaces available for many popular radios but are not required for operation

AT-100Pro Memory Autotuner

- 0.1 to 125 watts (50 watts on 6M)
- 160 to 6 meters
- LED bargraphs for Power/SWR/Status
- Two antenna jacks; >4000 memories

\$219



AT-1000 Hi Power Autotuner

- Up to 1000 watts SSB, 750 watts CW, 500 watts Digital
- 160 to 6 meters
- Analog Power/SWR meter

\$599



RC-1000 Remote Control

- Remote Control Head for the AT-1000
- Controls Power Bypass, Tune, and Fine Tuning
- Includes ten foot interface cable

\$99



Z-100 Low Cost Autotuner

- 0.1 to 125 watts (50 watts on 6M)
- 160 to 6 meters
- Latching relays
- LED status and SWR indicators
- 200 fast memories

\$149



AT-897 Autotuner

- Bolts on Yaesu FT-897
- 160 to 6 meters
- Powered from CAT Port
- Latching relays, no fan

\$199



RT-11 Remote Autotuner

- 0.1 to 125 watts peak
- 160 to 6 meters
- Water resistant case
- Optional Remote Head
- Perfect for remote installation

RT-11 RH

\$209



Optional Accessories and Interface Cables

MAC-600 "Screwdriver" Antenna Controller

- Works with most motor-tuned antennas
- Microprocessor controlled
- Automatically finds lowest SWR
- Protected against stalls and overshoot
- 1.8 to 54 MHz, 10 to 600 watts

\$139



RBA-1:1 External 1:1 Balun

- Power range to 200 watts
- 1.8 to 30 MHz
- Binding post connectors
- Weather resistant
- Just 5 x 2.5 x 1.25 inches

\$30



RBA-1 External 4:1 Balun

- Power range to 200 watts
- 1.8 to 30 MHz
- Binding post connectors
- Weather resistant
- Just 5 x 2.5 x 1.25 inches

\$30



ICOM interface. Provides tuner control and DC power to LDG Autotuners

- AC-1 - **\$8**
- Icom IC-1 - **\$20**
- Icom IC-2 - **\$8**
- AL-IC-1 - **\$20**
- Y-ACC - **\$10**



K-OTT for Kenwood

- Intelligent radio to LDG tuner interface
- Simply press the tune button on an LDG autotuner, and the OTT handles the rest!
- K-OTT - One Touch Tune interface for Kenwood radios compatible with AT-300
- Y-OTT - One Touch Tune interface for Yaesu FT-100 (D) and FT-817

\$59



Y-OTT for Yaesu



LDG Electronics, Inc.
1445 Parran Road,
St. Leonard, MD 20685
Phone: 410-586-2177
Fax: 410-586-8475

Visit Our Website:

www.ldgelectronics.com
or contact your favorite dealer
for the best price

Look to Alinco for Xcitement and Value.



Xtreme Performance!

DJ-C7T 2m+440 "Pocket" HT

Meet the "new generation" mini-HT! Internal speaker with great audio, 200 memories, VFO, Memory & Scan modes, CTCSS encode +decode, AM airband and wideband FM broadcast RX, 300mw output, SMA antenna port, Lithium ion battery, cloning feature, split function and more! **Xtremely versatile dual-band HT.**



DJ-V5TH, 2m/440 HT*

Great 2m/440 TX & RX, xtended RX range from 76 ~ 999 MHz, wide band FM, alpha display, 200 memories, CTCSS & DCS encode+decode, 5 watts output, compact size, 4 scan modes, split-band ops, auto-dialer, 13.8 VDC direct input. **Xcellent performer!**



DJ-196T (2m), DJ-296T (222 MHz), DJ-496T (440 MHz) HT

Backlit keys, alpha display, 40 memories, CTCSS and DCS encode+decode, autodial, 13.8 VDC input, and more! High-power battery is standard. **Xtra handy!**



DJ-S40TD 440 MHz HT

Pocket HT features 500 mw output on AA cells, up to 1 watt using an optional NiMH battery. 100 memories, CTCSS encode+decode, SMA antenna, great audio, theft alarm and more! **Xtremely small but packs a punch.**



DR-605TQ 2m+440 FM Mobile/Base

Xtra value! 50 watts VHF/35 watts UHF, 51 memories/band, crossband repeat, 430 ~ 449.995 range allows for satellite comms, dual watch. **Check the LOW price!**



DR-135T/TP MKII (2m), DR-435T MKII (440 MHz), DR-235T (222 MHz) Mobile/Base

DR-135 includes AM Airband RX. All models have 100 memories, ignition key on/off, theft alarm, large 7 character alpha display, optional internal TNC can be used for packet or APRS™, 9600 packet mode, front data/GPS input, rear DSUB9 connector, H/M/L power out, autodialer, CTCSS and DCS encode+decode, backlit mic, **Xtra rugged!** Accepts optional digital voice communications board.



DJ-596T MKII 2m+440 HT

100 memories, alpha channel labels, NiMH battery, CTCSS and DCS encode+decode, WFM+NFM, theft alarm, 6 ~ 16 VDC input, illuminated keys and display, autodialer, full coverage of both bands, Xpanded receive; optional digital voice communications board and more! **Xtend your abilities!**



DR-620T 2m+440 Mobile/Base

Xceptional features! Removable head, speaker faces up or down, changeable color alpha display, 200 memories, H/M/L output, V/U, V/V, U/U, WFM and AM Air Xtended RX, TCXO, theft alarm, **options include TNC or digital voice module, remote mount kit.**



DR-M06TH 6m/20 watts FM Mobile/Base

"Magic band" Xcitement with local and DX FM contacts, simplex or through repeaters. **Includes CTCSS encode and 100 memories.**



DX-70TH (100w) HF+6m Mobile/Base/Portable

160 ~ 6m Amateur band TX in all modes, Xtra coverage RX from 150 KHz ~ 30 MHz and 50 ~ 54 MHz. Removable face, 100 memories, 2 VFOs, speech compressor, SSB, CW and AM narrow filters, fullbreak-in, multi-function control and MUCH more! **Optional Xcessories include EDX-2 wire antenna tuner & DM-330MVT power supply.**



DX-77T HF Base/Portable

Xcellence at a great price! 160 ~ 10 meter Amateur band TX all modes; 500 KHz ~ 30 MHz general coverage RX. Clean, clear audio, low noise floor from DDS, 100 memories, easy to operate. **Speech compressor, CTCSS encode for 10m FM operation, CW filter.**



www.ALINCO.com

Distributed in North America by Ham Distribution, Inc., 15 South Trade Center Pkwy, #B5, Conroe, Texas, 77385. Phone: 936-271-3366. Fax: 936-271-3398. Products intended for properly licensed operators. Permits required for MARS use. CAP use subject to equipment approval. Specifications subject to change without notice or obligation. Performance specifications only apply to amateur bands. *Cellular blocked in USA. Unblocked versions available to qualified users, documentation required.

Antenna Attention!


Design, build and install antennas that work.

The ARRL Antenna Book — 20th Edition

In depth coverage of antennas, feed lines, and propagation.

Book with CD-ROM. ARRL Order No. 9043—\$39.95*

The ARRL Antenna Book is THE SOURCE for current antenna theory and a wealth of practical, how-to construction projects. Extensively revised, and featuring antenna designs enhanced by the latest advances in computer modeling. Design, build and install any imaginable type of antenna—from the most simple wire varieties, to specialized or highly optimized arrays.



Fully searchable CD-ROM included

Bundled with this edition is the fully-searchable book on CD-ROM and additional software utilities**. The CD-ROM supports Windows and Macintosh systems. At your command is the entire book—every word and every page—PLUS pages of band-by-band propagation tables for locations around the world! Uses the widely popular Adobe® Acrobat® Reader software (included) to view, navigate, search and print from all chapters.


The CD-ROM also includes three updated and improved programs (for Windows):

YW—Yagi for Windows

TLW—Transmission Line for Windows

HFTA—HF Terrain Assessment

EZNEC ARRL—Antenna Modeling by W7EL



Contents:

- Safety First
 - Antenna Fundamentals
 - The Effects of the Earth
 - Antenna Modeling and System Planning
 - Loop Antennas
 - Low-Frequency Antennas
 - Multiband Antennas
 - Multielement Arrays
 - Broadband Antennas
 - Log Periodic Arrays
 - HF Yagi Arrays
 - Quad Arrays
 - Long Wire and Traveling Wave Antennas
 - Direction Finding Antennas
 - Portable Antennas
 - Mobile and Maritime Antennas
 - Repeater Antenna Systems
 - VHF and UHF Antenna Systems
 - Antenna Systems for Space Communications
 - Antenna Materials and Accessories
 - Antenna Products Suppliers
 - Antenna Supports
 - Radio Wave Propagation
 - Transmission Lines
 - Coupling the Transmitter to the Line
 - Coupling the Line to the Antenna
 - Transmission-Line and Antenna Measurements
 - Smith Chart Calculations
- Includes a comprehensive glossary and index

**CD-ROM System Requirements: Microsoft Windows 95 or later; or Apple Power Macintosh computer, Apple System Software version 7.1.2 or later. Additional software utilities are included, for Windows and DOS only.

The ARRL Antenna Classics series!

ARRL's Wire Antenna Classics and More Wire Antenna Classics

So many wire antenna designs have proven to be first class performers! Here's an entire book devoted to wire antennas, from the simple to the complex. Includes articles on dipoles, loops, rhombics, wire beams and receive antennas—and some time-proven classics! An ideal book for Field Day planners or the next wire antenna project at your home station.

Volume 1. ARRL Order No. 7075—\$14*

Volume 2. ARRL Order No. 7709—\$14*

Build portable, mobile and fixed antenna designs




ARRL's VHF/UHF Antenna Classics

Ground planes, J-poles, mobile antennas, Yagis and more. Build a better antenna for your hand-held radio. Construct a 2-meter Yagi that will rival similar commercial antennas. Build a dual-band vertical for 146 and 445-MHz. The results will be rewarding! ARRL Order No. 9078—\$14.95*

ARRL's Yagi Antenna Classics

Yagis, Quads, Loops, and other Beam Antennas

A wealth of ideas from some of the leaders in antenna design and experimentation of the last 70 years. Covers monobanders; multibanders; HF, VHF and UHF beams from 80 meters to 2304 MHz; computer modeling; towers, masts and guys. Some of the very best articles from QST, QEX, NCJ and other ARRL publications. ARRL Order No. 8187—\$17.95*



Vertical Antenna Classics

Vertical antennas are everywhere—on cell phones, broadcast towers and portable radios. You'll also see them on the roofs, towers and vehicles from Altoona to Australia. And for good reason! Here are some top-notch performers from ARRL publications, brought together in one book. Vertical antenna theory and modeling, VHF and UHF, HF, directional arrays, radials and ground systems, and more. ARRL Order No. 5218—\$12*

*Shipping and Handling charges apply. Sales tax is required for orders shipped to CA, CT, VA and Canada. Prices and product availability are subject to change without notice.

ARRL The national association for
AMATEUR RADIO

225 Main Street, Newington, CT 06111-1494 tel: 860-594-0355 fax: 860-594-0303

In the US call our toll-free number **1-888-277-5289** 8 AM-8 PM Eastern time Mon.-Fri.

www.arrl.org/shop

KØXG Systems

– Rotating Tower Equipment for LF, HF, VHF and UHF Applications –

Ground and Tower Mounted Rotators

And a Complete Line of Tower Accessories, Including:

- Ground Mounted Base Bearings
- Internal-Mount Tower Rotator Shelves
- Heavy Duty Roller Thrust Bearings
- Guy Ring Bearings for All Size Towers
- Guy Ring Ice Covers
- Boom To Tower Plates and Brackets for Most Brands and Tower Sizes
- Boom To Mast Brackets
- Tower Insulator Adaptors
- ...and Much, Much More!



Ground mounted base for 300 feet of Rohn 55G/AB105.


Guy ring bearing installed on Rohn 55G tower.



Rotate those VHF/UHF stacks

V
H
F

U
H
F



Don't waste money on useless masts and pipe that you cannot climb. With one guy ring bearing and our elevated tower rotor you can rotate 50 feet of tower. This gives you the ability to add, remove or service any or all of your antennas without having to remove the lower beams. Install an HF tri-band beam, stack 6 meter and VHF/UHF antennas on one tower and run the hard line all the way to the antennas where it should be, instead of high loss coax.

Systems available for rotating from 30 feet of Rohn 25G tower up to over 300 feet of Rohn 80 tower.

**Dayton Booth
#578**

Visit our web site!
www.k0xg.com

Professional installations of KØXG Systems components by:
XX Towers – (603) 878-1102

(563) 355-7451 ■ Bettendorf, IA 52722 USA ■ k0xg@k0xg.com

Radio Setup Guides

Short Form Guides For:
Kenwood, Icom and Yaesu Radios
Condensed Step-by-step Instructions
Simplify Setup and Operation



All Guides are color printed, fully laminated and are designed to be kept with the radio, so it's there when you need it.

HT Guides are tri-folded to credit card size. Ideal for keeping in your wallet or in the radio's carrying pouch.

Mobile Guides are 4x8 inches and printed on heavy duty card stock. Ideal for keeping in the glove box or car door pocket.

Ideal for easily and quickly programming your radio.

Nifty Mini-manuals are designed for multi-band, all mode rigs. Organized for quick and easy access, all controls, setup sequences and menus are fully explained.

Fully laminated for durability, printed in color and spiral bound, these 4x8 inch multi-page Mini-manuals are excellent references for home QTH, mobile or portable operation.



Guides available for most recent model radios. Visit our web page for the list of supported models.

Nifty! Ham Accessories

1601 Donalor Drive
Escondido, CA 92027
(760) 781-5522

n6fn@niftyaccessories.com

www.niftyaccessories.com

ALL ELECTRONICS CORPORATION

We have 1,000's of new & surplus electronic parts & supplies available in our easy-to-use online shop.
www.allelectronics.com

or order TOLL FREE
1-800-826-5432

**CHARGE ORDERS TO
Visa, Mastercard, American
Express or Discover**

**CALL, WRITE, FAX or
E-MAIL for our
FREE**

96 Page CATALOG
(outside the U.S.A. send \$3.00 postage)

ALL ELECTRONICS
P.O. Box 567
Van Nuys, CA 91408
FAX (818) 781-2653
email: allcorp@allcorp.com

5 Amp Smart Battery Charger FOR GEL-CELLS or LEAD ACID BATTERIES

Features: Precision temperature tracking voltage reference & three mode charging sequence based on the Unitrode UC3906 chip. It has three distinct operating states. Initially the charging current is limited to a pre-set bulk value and when the battery voltage reaches a specific level the charger enters the absorption mode and tops off the battery with an elevated voltage. After top off, the charger enters the maintenance mode where it maintains the battery at a precision float level value. This charger can be connected to the battery indefinitely, it will not over charge the battery. If a load is applied to the battery while the charger is connected, the charger will contribute its bulk current to the load. If the load discharges the battery sufficiently, the charger will repeat the three state process described above when the load is removed. This is a low RF noise linear (not a switching) charger, well suited for radio use. Weighs 10 pounds and measures 7 1/2" W x 8" D x 4 3/4" H.



Assembled & Tested \$149.95

CA Residents add 7.75 sales tax.
S & H : \$12.50 (insured). Foreign orders add 20%

A & A Engineering

2521 W. LaPalma #K
Anaheim CA 92801
(714) 952-2114
FAX (714) 952-3280



www.a-aengineering.com

Join ARRL!



www.arrl.org

Join or Renew

Clip and send to
ARRL today!



ARRL Membership Application

Name _____ Call Sign _____

Street _____

City _____ State _____ ZIP _____

Sign up my family members, residing at the same address, as ARRL members too! They'll each pay only \$8 for a year's membership, have access to ARRL benefits and services (except QST) and also receive a membership card.

Family Member Name _____ Call Sign (if any) _____

Family Member Name _____ Call Sign (if any) _____

Sign up _____ family members @ \$8 each = \$ _____ .

Total amount enclosed, payable to ARRL \$ _____ .

Enclosed is \$ _____ (\$1.00 minimum) as a donation to the Legal Research and Resource Fund.

Charge to: VISA MasterCard Amex Discover

Card Number _____ Expiration Date _____

Cardholder's Signature _____

If you do not want your name and address made available for non-ARRL related mailings, please check here.

Please check the appropriate one-year¹ rate:

- \$39 in US.
- Age 65 or older rate, \$36 in US.
- Age 21 or younger rate, \$20 in US (see note*).
- Canada \$49.
- Elsewhere \$62.

Please indicate date of birth _____ .

(US funds drawn on a bank in the US).

¹ 1-year membership dues include \$15 for a 1-year subscription to QST. International 1-year rates include a \$10 surcharge for surface delivery to Canada and a \$23 surcharge for air delivery to other countries.

Other US membership options available: Blind, Life, and QST by First Class postage. Contact ARRL for details.

*Age 21 or younger rate applies only if you are the oldest licensed amateur in your household.

International membership is available with an annual CD-ROM option (no monthly receipt of QST). Contact ARRL for details.

Dues subject to change without notice.

Call Toll-Free (US)
1-888-277-5289

Join Online
www.arrl.org/join.html

or
Clip and send to:

ARRL
225 Main Street
Newington, CT 06111-1494 USA

HB05/2004