

KENWOOD

Listen to the Future

AIRWAVE SUPERIORITY

Never before has a compact HT offered as many features, and such high powered performance as the TH-F6A. Arm yourself with one today and gain your own airwave superiority.

- Triband (144/220/440 MHz)
- Receives 2 frequencies simultaneously even on the same band
- 0.1~1300MHz high-frequency range RX (B band)¹
- FM/FM-W/FM-N/AM plus SSB/CW receive
- Bar antenna for receiving AM broadcasts
- Special weather channel RX mode
- 435 memory channels, multiple scan functions
- 7.4V 1550mAh lithium-ion battery (std.) for high output² and extended operation
- 16-key pad plus multi-scroll key for easy operation
- Built-in charging circuitry for battery recharge while the unit operates from a DC supply
- Tough construction: meets MIL-STD 810 C/D/E standards for resistance to vibration, shock, humidity and light rain
- Large frequency display for single-band use
- Automatic simplex checker
- Wireless remote control function
- Battery indicator • Internal VOX • MCP software

¹Note that certain frequencies are unavailable. ²5W output

TH-F6A

TRIBANDER



KENWOOD U.S.A. CORPORATION
Communications Sector Headquarters

3975 Johns Creek Court, Suite 300, Suwanee, GA 30024-1265

Customer Support/Distribution

P.O. Box 22745, 2201 East Dominguez St., Long Beach, CA 90801-5745

Customer Support: (310) 639-4200 Fax: (310) 537-8235

INTERNET

Kenwood Website
<http://www.kenwood.net>
Kenwood Information
<ftp://ftp.kenwood.net>



QUALITY SYSTEM



QUALITY MANAGEMENT

JOA-1205 081-A
ISO9001 Registered
Communications Equipment Division
Kenwood Corporation
ISO9001 certification

ADS#12805

Advertisers Index

Advertising Department Staff

Janet Rocco, Business Services Manager

Joe Bottiglieri, AA1GW, Accounts Manager

Lisa Tardette, Accounts Manager

Diane Szlachetka, Advertising Graphic Designer

800-243-7768

Direct Line: 860-594-0207 ■ Fax: 860-594-4285 ■ e-mail: ads@arrl.org ■ Web: www.arrl.org/ads

Advanced Specialties Inc.	A-6
Alan Broadband Co./Zapchecker	A-13
Alinco	A-21
Alpha Delta Communications, Inc.	A-19
Alpha Radio Products	A-16
AOR U.S.A., Inc.	A-5
Array Solutions	A-27
ARRL	A-7, A-10, A-11, A-14, A-20, A-22, A-28
Autek Research	A-10
bhi Ltd.	A-25
BitScope Designs	A-18
C.A.T.S./Rotor-Doctor	A-14
Command Productions	A-7
Communication Concepts, Inc.	A-13
EIMAC	A-12
Elecraft, Inc.	A-17
Expanded Spectrum Systems	A-20
GAP Antenna Products, Inc.	A-23
Ham Radio Outlet	Cover II, Cover III
HamRadioManuals	A-19
HamTestOnline	A-11
High Sierra Antennas	A-4
ICOM America	A-2, A-3
IIX Equipment Ltd.	A-10
International Crystal Mfg. Co., Inc.	A-23
KØXG Systems	A-23
Kenwood Communications	Opposite Advertisers Index
K-Y Filter Company	A-22
Maxsell Corporation	A-10
Mayberry Sales & Service, Inc.	A-12
Memphis Amateur Electronics, Inc.	A-26
MFJ Enterprises	A-8, A-9
microHAM	A-22
Mike's Electronics	A-19
Misty Hollow Enterprises	A-22
N2VZ Enterprises	A-10
Noble Publishing	A-20
Radio Club of JHS 22 NYC	A-14
Radio Daze, LLC	A-6
RF Parts Company	A-11, A-13, A-15
Saelig Company Inc.	A-7
STRAIGHTBRASS	A-24
TENNADYNE	A-12
Teri Software	A-12
Tigertronics	A-13
Timewave Technology, Inc.	A-6
Unified Microsystems	A-6
Universal Radio Inc.	A-15
W3FF Antennas	A-27
Walter H. Volkmann	A-14
WBØW Inc.	A-11

If your company provides products or services of interest to our readers,
please contact the ARRL Advertising Department today for information on building your business.



IC-7800

The Ultimate HF

200 Watt Output, Full Duty Cycle | Four 32 Bit IF-DSPs + 24 Bit AD/DA Converters | 2 Independent Receivers | +40 dBm 3rd Order Intercept Point | Selectable IF Filter Shapes



IC-756PROIII

Heard it. Worked it. Logged it.

100 Watt Output, Full Duty Cycle | 32 Bit IF-DSP + 24 Bit AD/DA Converter | +30 dBm 3rd Order Intercept Point | Low-distortion BPF Switching | Real-time Spectrum Scope with Mini Scope



IC-746PRO

HF Hot Rod

100 Watt Output, Full Duty Cycle | 32 Bit IF-DSP + 24 Bit AD/DA Converter | All Mode, including RTTY | Enhanced Receiver Performance | Selectable, "Build Your Own" IF Filter Shapes



IC-718

The "Get into HF" Rig

100 Watt Output, Full Duty Cycle | One-touch Band Switching | RF Gain Control | Built-in CW Keyer | Built-in VOX



IC-910H

Satellite Rig

100 Watt VHF/75 Watt UHF Variable Output | AM, FM, SSB, CW, & Satellite | Work Two Bands at Once | Main & Sub Band Functions for IF Shift, Sweep, NB, & RF Attenuator



IC-7000

New HF to 70CM Multibander

100 Watt HF+6M, 50 Watt 2M, 35 Watt 70CM | DSP² - Dual DSP Processors | Digital IF Filters | Twin Pass Band Tuning | Multiple AGC Loops | MNF² - Dual Manual Notch Filters



IC-706MKIIG

Proven Multiband Performance

100 Watt HF* + 6M, 50 Watt 2M, 20 Watt 70CM | All Mode, Full Duty Cycle | 99 Alphanumeric Memories | CTCSS Encode/Decode with Tone Scan | Built-in DSP

Shack, Car, or Field...

For the love of



DIGITAL

IC-2200H

Digital or Analog 2M Mobile

65W Output | 207 Alphanumeric Memories | Optional Digital Voice & Data | Optional Calsign Squelch | CTCSS & DTCS Encode/Decode w/Tone Scan | Weather Alert



DIGITAL

ID-800

2M/70CM Digital Mobile

55 Watt VHF/50 Watt Output | Wide RX: 118-173, 230-549, 810-999 MHz (Cellular Blocked) | Analog/Digital Voice & Data | Calsign Squelch | CTCSS & DTCS Encode/Decode w/Tone Scan



DIGITAL

ID-1

Advanced 1.2 GHz Digital Mobile

10 Watt Output | High Speed Digital Data, Digital Voice, Analog Voice (FM) | Wireless Internet/Network Access Capable | PC Control via USB port | Digital Calsign & Digital Code Squelch

IC-703 PLUS

QRP + Performance HF/6M

5 Watt @ 9.6 V DC or 10 Watt @ 13.8 V DC | Power Steps 10/5/1/0.1 Watts | 105 Memory Channels | Internal Antenna Tuner | Built-in DSP & Memory Keyer



IC-V8000

Commercial Grade 2M Mobile

75 Watt Output | Icom's DMS Scanning | CTCSS Encode/Decode with Tone Scan | Weather Channel Scan with Alert | 200 Alphanumeric Memory Channels



...Icom has you covered!

ham radio.

IC-208H

Compact 2m/70CM Mobile

55 Watt VHF/50 Watt UHF | Wide RX: 118-173, 230-549, 810-999 MHz (Cellular Blocked) | Wide/Narrow Band Switchable | 512 Alphanumeric Memory Channels | Selectable Display Color



IC-2720H

Advanced 2m/70CM Mobile

50 Watt VHF/35 Watt UHF | Wide RX: 118-595, 810-999 MHz (Cellular Blocked) | 212 Memory Channels | VV/UU/VU Operation | Selectable Display Color



Compact 6M/2M/70CM IC-T90A

5 Watt Output | Wide Band RX .495 - 999.99MHz (Cellular blocked) | 500 Alphanumeric Memories | 1300 mAh Li-Ion Battery | CTCSS & DTCSS Encode/Decode w/Tone Scan



Analog/Digital 2M IC-V82

7 Watt Output | 100 Alphanumeric Memories | CTCSS & DTCSS Encode/Decode with Tone Scan | Optional Digital Voice & Data | Optional Callsign Squelch | Also Available in 70CM as the IC-U82




Easy to use 2m/70CM IC-T7H

5 - 6 Watts Depending on Battery Pack | RX: 118-174, 400-470MHz | 70 Alphanumeric Memory Channels | CTCSS Encode/Decode with Tone Scan | Mil Spec (Military Rugged)



Commercial Grade 2M IC-V8

5.5 Watt Output | CTCSS & DTCSS Encode/Decode w/Tone Scan | 107 Alphanumeric Memories | Fast Scanning - 40 Channels/Second | Desktop Trickle Charger



Economical 2M IC-T2H SPORT

6 Watt Output | CTCSS Encode/Decode w/Tone Scan | 40 Memory Channels | Alkaline Power | Auto Repeater Function | Mil Spec (Military Rugged)



True Dual Band 2m/70CM IC-W32A

5 Watt Output | Simultaneous Receive | 200 Alphanumeric Memory Channels | Independent Band Controls | DTMF Auto Dialer w/Memory | Auto Repeater Function | Mil Spec (Military Rugged)

See your authorized Icom dealer today!

AMATEUR

AVIONIC

LAND MOBILE

MARINE

RECEIVERS

WWW.ICOMAMERICA.COM

ICOM[®]

High Sierra AntennAs

Motorized HF Antennas You Can Use *Anywhere!*

El Dorado

For home or base use
Remotely tuned Black Hawk Motor
10 Feet Tall with 6 foot whip
1000 Watts, Stealthy Gray Color
3.5 to 30 MHz

i-Box™

High Sierra Antennas
Powered by your Icom™
To tune, press the switch
on the i-Box™ controller

HS-1800/Pro

The World's Most Famous
Motorized HF Antenna
3.5 to 30 Mhz
Rated at 1000 watts
Motorized section 3 feet tall
Black Hawk Motor™

k-Box™

High Sierra Antennas
Powered by your Kenwood™
To tune, press the AT button on the
TS-480 and rock the switch on the
k-Box™ controller

Sidekick™

Smallest motorized
HF antenna ever!

75 to 6 meters
Base is 15 just inches tall!
Remotely tunes in just seconds
Famous Black Hawk Motor
3/8-24 Base, 200 watts, black whip
Easy to install and use

Yes, you see them everywhere!

For detailed information visit
www.cq73.com
High Sierra Antennas
Professional Antennas for the Amateur™ Since 1993
530-273-3415

The ARD9000 makes Digital Voice FUN and AFFORDABLE!

Hearing *is* Believing!



Digital voice could be the biggest revolution in HF radio since SSB! All over the world, hams have been discovering how much fun it is to work HF without background noise.

AOR set the pace in this breakthrough technology with its ARD9800. Now, in response to worldwide demand, AOR has developed the ARD9000 which makes digital voice communications even more affordable.

AOR's digital voice technology delivers audio quality you have to hear to believe. Whether you are working digital voice across state lines or across an ocean, amazing doesn't seem strong enough to describe it.

With an ARD9000, it's easy to convert existing HF analog transceivers to work digital voice with NO transceiver modifications. The ARD9000 automatically detects a digital signal and decodes it, so you also maintain full analog capabilities. Whether a contact comes in as digital or analog, the ARD9000 can handle it.

Try it yourself!

You'll be amazed at how much fun it is to work ham radio in digital voice mode.

- NO transceiver modifications necessary
- Digital voice communications using existing analog transceivers
- Works on Single Side Band (SSB) mode.
- Automatic digital receive
- Optional interface cables for most popular transceivers
- Built-in high grade Vocoder (AMBE)
- Built-in FEC error correction
- Compact unit. Easy to operate.
- Utilizes a uniquely designed high performance DSP engine
- Uses the established G4GUO open protocol

Be sure to check the website at www.aorusa.com for FAQs, links to user groups and more!

**Special Purchase Discounts
Available for Ham Radio Clubs!**

Specifications are subject to change without notice or obligation



Authority on Radio
Communications

AOR U.S.A., Inc.
20655 S. Western Ave., Suite 112, Torrance, CA 90501, USA
Tel: 310-787-8615 Fax: 310-787-8619
info@aorusa.com <http://www.aorusa.com>

Introducing the... AntennaSmith™!



TZ-900 Antenna Impedance Analyzer

Featuring 2 Sec Sweeps, Sweep Memories, 1 Hz steps, manual & computer control w/software, low power. Rugged Aluminum Housing - Take it up the tower!

Full Color TFT LCD Graphic Display - Sunlight Visible!

- 0.5 - 60 MHz
- Reactance (r+jx)
- SWR
- Reflection coefficient (p,θ)
- Impedance (Z)
- Smith Chart




The ANC-4 and the DSP-599zx - the perfect complement!

DSP-599zx V5 Signal Processor

The #1 signal processor for reducing noise, eliminating heterodynes and slicing away QRM!

ANC-4 Antenna Noise Eliminator

Reduces BPL & Line Noise up to 40 dB. Wipe out S-9 line noise before it hits your receiver!



PK-232/PSK Multimode Data Controller

Do all the modes - old & new! The most popular data controller with a built-in Sound Card Interface and DSP!



PK-96/100 Packet Radio TNC

Proven value for 1200/9600 bps packet, GPS tracking!



651-489-5080 sales@timewave.com www.timewave.com
1025 Selby Ave., Suite 101 St. Paul, MN 55104 USA

UM Unified Microsystems



New! USB Interfaces

Free your PC serial ports. USB to CW/PTT & USB to VK-64 versions.

VK-64 Combo Voice/CW Keyer

Voice keyer and full feature CW memory keyer in a single package. Front panel operation or control through your laptop or PC.

BCD-10 Band Decoder

Use band port signals from selected Yaesu® rigs or PC printer port for automatic antenna switching as you change bands.

XT-4 CW Memory Keyer

Battery powered and small size for VHF rover, FD, DXpeditions and vacations. 4 memories.

XT-4BEACON - CW Beacon IDer

Easy to program IDer for VHF beacons. Low power. Selectable speeds 5-25 WPM.

Visit our web site for new products.

Unified Microsystems

PO Box 133
Slinger, WI 53086 262-644-9036
www.unifiedmicro.com



RADIO VINTAGE RADIO DAZE & ELECTRONICS



- Books • Capacitors Of All Kinds • Chassis-Aluminum/Steel
 - Chokes • Custom Cloth-Covered Solid/Stranded Wire
 - Dial Belts & Cord • Dial Lamps & Sockets • Diodes • Enclosures
 - Fuses & Fuseholders • Grillecloth • Hardware • Kits • Knobs
 - Potentiometers • Power Cord & Plugs • Refinishing Supplies
 - Reproduction Glass Dials For Vintage Amateur, Audio & Radio
 - Resistors • Service Supplies • Sockets • Technical Data • Tools
 - Transformers - Classic Audio, Power, Filament, Plate, etc.
 - Vacuum Tubes - One of the largest inventories of NOS tubes
- and much, much more!

Contact Us For Our Free Full Line Catalog!!



Radio Daze, LLC • 7620 Omnitech Place • Victor, New York 14564
(585) 742-2020 • Fax: (585) 742-2099 • Toll Free Fax: (800) 456-6494
e-mail: info@radiodaze.com • Web Site: www.radiodaze.com

ADVANCED SPECIALTIES INC.

New Jersey's Communications Store



VX-7R
Quadband
Submersible HT

DR-235T
222MHz Mobile
Alphanumeric Display



FT-2800M
65W 2M Mobile



FT-857D
HF, 6M, 2M, 70 CM

Authorized Dealer

- * ALINCO • LARSEN
- * COMET • MALDOL • MFJ
- * UNIDEN • LDG • MAHA • ANLI
- * RANGER • YAESU • PRYME

FT-8800R
2M/70 CM
FM Mobile



VX-6R
2M, 222MHz,
70 CM
FM Handheld



AMATEUR RADIO - SCANNERS - BOOKS
ANTENNAS - MOUNTS - FILTERS
ACCESSORIES & MORE

Closed Sunday & Monday
Orders/Quotes 1-800-926-9HAM
(201)-VHF-2067

114 Essex Street,
Lodi, NJ 07644



Big Online Catalog at


www.advancedspecialties.net



Turn dreams
of constructing
your first amp
or next brick
into reality!

ARRL's RF Amplifier Classics

includes two-dozen projects
and articles from the pages of
QST and *QEX*,
published between 1980
and 2003.
There are amps
for HF, MF,
VHF and
microwave.



These are high quality works
from respected authors
such as Gary Breed, K9AY;
Jerry Pittenger, K8RA;
Bill Sabin, WØIYH;
Al Ward, W5LUA;
Dave Meacham,
W6EMD and others.



Use this book and...

- Shorten your discovery work
- Find practical designs and construction details for classic tube and solid-state amplifiers at power levels from 5 W to 1.5 kW
- Build safe and reliable amplifiers
- Produce loud and clean signals

Order Today!

ARRL's RF Amplifier Classics

ARRL Order No. 9310
— Only \$19.95*

*shipping: \$7 US (ground) / \$12.00 International

ARRL The national association for
AMATEUR RADIO

SHOP DIRECT or call for a dealer near you.
ONLINE WWW.ARRL.ORG/SHOP
ORDER TOLL-FREE 888/277-5289 (US)

HB 8/2005

Easy-to-use problem solvers! See website!

USB PC Scope	Hand Held Scope	PicoScope 3206	Low Cost Scope
 DS1M12 - 20 MS/s sampling 12-bit 2-ch USB scope adapter for PC. Looks like a "Digital Scope" on your PC screen! Great for laptops, and servicing. DS1M12 only \$220!	 Swordfish - unique hand-held PC Scope: 5MHz scope, 20kS/s data logger, FFT spectrum analyzer, voltmeter and frequency meter. 10-bit ADC with a true sampling rate of up to 40MS/s. PS40M10 Only \$275	 PS3206 - is an impressive 200 MS/s 8-bit PC scope adapter - 10 GS/s for repetitive signals! No power supply needed, simple USB 2.0 connection. PP263 only \$1519	 New! Low-cost 2-ch. 2MHz USB 2.0 scope adapter. USB-powered. 32k buffer. 20MS/s ±50 mV to ±20 V Free software for scope/spectrum analyzer/meter and data logger. PP296 Only \$359!
FrontDesign	easyRADIO	USB-Serial Adapter	USB Logic Analyzer
 FrontDesign - software for designing professional-looking front panels - with a host of drawing functions. Print, mill or engrave, or export final at 600 dpi. FrontDesign from \$79.95!	 easyRADIO™ ER900TRS Transceiver Modules make wireless data transmission simple for USA and Europe! Add wireless capability to your project today! ER900TRS only \$40!	 Serial port for laptops without one! USB-COM instantly updates older RS232 products to USB! PC thinks it's using COMport but uses the USB - 13". only \$35 (1) or \$25 (100)	 ANT16 - Matchbox-sized USB-powered logic analyzer. Sample 16 channels at up to 500 million samples-per-sec. View traces on PC. Print or save for later review! (8-ch. version tool!) ANT-8 only \$222 ANT-16 only \$333

info@saelig.com
www.saelig.com

Saelig Company Inc.
unique, useful imports!



p: 1-888-7SAELIG
f: 585-385-1768

Available from ARRL

Build Your Own Low-Power Transmitters

Projects for AM, SSB, TV, FM Stereo and NBFM VHF-UHF.

ARRL Order No. 9458—Only \$41.95*

*shipping \$10 US (ground)/\$15.00 International

Order toll-free 1-888-277-5289 (US) — www.arrl.org/shop

tel: 860-594-0355 fax: 860-594-0303 email: pubsales@arrl.org

ARRL The national association for AMATEUR RADIO

HB 8/2005



FCC General Radiotelephone Operator License -plus- Radar Endorsement

GET YOUR FCC COMMERCIAL LICENSE!

No costly school. No commuting to class. The Original Home-Study course prepares you to get your "FCC Commercial License" at home in your spare time! It's the highest class FCC license you can get! No need to quit your job or go to school. This proven course is easy, fast and low cost! **NO PREVIOUS EXPERIENCE NEEDED!**

This valuable license is your "ticket" to thousands of exciting jobs in:

- Communications
- Radio-TV
- Broadcasting
- Avionics
- Radar
- Maritime
- and more...

Earn up to
\$100 an Hour
and More!

even start your own business!

GUARANTEED TO PASS

You get your FCC License or your money refunded.

Get your **FREE** facts now.
Call Today! **800-932-4268** Ext. 107
or go online at
www.LicenseTraining.com

COMMAND PRODUCTIONS • FCC License Training
P.O. Box 3000 • Sausalito, CA 94966-3000



MFJ TUNERS

New, Improved MFJ-989D 1500 Watt legal limit Antenna Tuner

World's most popular 1500 Watt Legal Limit Tuner just got better -- much better -- with no increase in price!

New, improved MFJ-989D legal limit antenna tuner gives you better efficiency, lower losses and a new true peak reading meter. It easily handles full 1500 Watts SSB/CW, 1.8 to 30 MHz, including MARS/WARC bands.

New dual 500 pF air variable capacitors give you twice the capacitance for more efficient operation on 160 and 80 Meters.

New, improved AirCore™ Roller Inductor gives you lower losses, higher Q and handles more power more efficiently.

New TrueActive™ peak reading Cross-Needle SWR/Wattmeter lets you read true peak



power on all modes.

New high voltage current balun lets you tune balanced lines at high power with no worries.

New crank knob lets you reset your roller inductor quickly,

MFJ-989D

\$359⁹⁵

smoothly and accurately.

New larger 2-inch diameter capacitor knobs with easy-to-see dials make tuning much easier.

New cabinet maintains components' high-Q. Generous air

vents keep components cool. 12¹/₈Wx6Hx11¹/₈D inches.

Includes six position ceramic antenna switch, 50 Ohm dummy load, indestructible multi-color Lexan front panel with detailed logging scales and legends.

The MFJ-989D uses the superb time-tested T-Network. It has the widest matching range and is the easiest to use of all matching networks. Now with MFJ's new 500 pF air variable capacitors and new low loss roller inductor, it easily handles higher power much more efficiently.

No Matter What™ Warranty

Every MFJ tuner is protected by MFJ's famous one year No Matter What™ limited warranty. We will repair or replace your MFJ tuner (at our option) for a full year.

More hams use MFJ tuners than all other tuners in the world!

MFJ-986 Two knob Differential-T™



Two knob tuning (differential capacitor and AirCore™ roller inductor) makes tuning foolproof and easier than ever. Gives minimum SWR at only one setting. Handles 3 KW PEP SSB amplifier input power (1.5 KW output). Gear-driven turns counter, lighted peak/average Cross-Needle SWR/Wattmeter, antenna switch, balun. 1.8 to 30 MHz. 10³/₄Wx4¹/₂Hx15 in.

MFJ-986

\$329⁹⁵

MFJ-962D compact kW Tuner



A few more dollars steps you up to a kW tuner for an amp later. Handles 1.5 KW PEP SSB amplifier input power (800W output). Ideal for Ameritron's AL-811H! AirCore™ roller inductor, gear-driven turns counter, pk/avg lighted Cross-Needle SWR/Wattmeter, antenna switch, balun. Lexan front, 1.8-30MHz. 10³/₄x4¹/₂x10⁷/₈ in.

MFJ-962D

\$269⁹⁵

MFJ-969 300W Roller Inductor Tuner



Superb AirCore™ Roller Inductor tuning. Covers 6 Meters thru 160 Meters! 300 Watts PEP SSB. Active true peak reading lighted Cross-Needle SWR Wattmeter, QRM-Free PreTune™, antenna switch, dummy load, 4:1 balun, Lexan front panel. 3¹/₂Hx10¹/₂Wx9¹/₂D inches.

MFJ-969

\$199⁹⁵

MFJ-949E deluxe 300 Watt Tuner

More hams use MFJ-949s than any other antenna tuner in the world!

Handles 300 Watts. Full 1.8 to 30 MHz coverage, custom inductor switch, 1000 Volt tuning capacitors, full size peak/average lighted Cross-Needle SWR/Wattmeter, 8 position antenna switch, dummy load, QRM-Free PreTune™, scratch proof Lexan front panel. 3¹/₂Hx10³/₈Wx7D inches. MFJ-948, \$129.95. Economy version of MFJ-949E, less dummy load, Lexan front panel.



MFJ-949E

\$149⁹⁵

MFJ-941E super value Tuner

The most for your money!

Handles 300 Watts PEP, covers 1.8-30 MHz, lighted Cross-Needle SWR/Wattmeter, 8 position antenna switch, 4:1 balun, 1000 volt capacitors, Lexan front panel. Sleek 10³/₄Wx2¹/₂Hx7D in.



MFJ-941E

\$119⁹⁵

MFJ-945E HF/6M mobile Tuner

Extends your mobile antenna bandwidth so you don't have to stop, go outside and adjust your antenna. Tiny 8x2x6 in. Lighted Cross-Needle SWR/Wattmeter. Lamp and bypass switches. Covers 1.8-30 MHz and 6 Meters. 300 Watts PEP. MFJ-20, \$4.95, mobile mount.



MFJ-945E

\$109⁹⁵

MFJ-971 portable/QRP Tuner

Tunes coax, balanced lines, random wire 1.8-30 MHz. Cross-Needle Meter. SWR, 30/300 or 6 Watt QRP ranges. Matches popular MFJ transceivers. Tiny 6x6¹/₂x2¹/₂ in.



MFJ-971

\$99⁹⁵

MFJ-901B smallest Versa Tuner

MFJ's smallest (5x2x6 in.) and most affordable wide range 200 Watt PEP Versa tuner. Covers 1.8 to 30 MHz. Great for matching solid state rigs to linear amps.



MFJ-901B

\$79⁹⁵

MFJ-902 Tiny Travel Tuner

Tiny 4¹/₂x2¹/₂x3

inches, full 150 Watts, 80-10 Meters, has tuner bypass switch, for coax/random wire.

MFJ-902

\$79⁹⁵



MFJ-904H, \$129.95. Same but adds Cross-needle SWR/Wattmeter and 4:1 balun for balanced lines. 7¹/₂x2¹/₂x2¹/₄ inches.

MFJ-16010 random wire Tuner

Operate all bands anywhere with MFJ's reversible L-network. Turns random wire into powerful transmitting antenna. 1.8-30 MHz. 200 Watts PEP. Tiny 2x3x4 in.



MFJ-16010

\$49⁹⁵

MFJ-906/903 6 Meter Tuners

MFJ-906 has lighted Cross-Needle SWR/Wattmeter, bypass switch. Handles 100 W FM, 200W SSB.



MFJ-906

\$79⁹⁵

MFJ-903, \$49.95, Like MFJ-906, less SWR/Wattmeter, bypass switch.

MFJ-921/924 VHF/UHF Tuners

MFJ-921 covers 2 Meters/220 MHz. MFJ-924 covers 440 MHz. SWR/Wattmeter. 8x2¹/₂x3 in.



MFJ-921/924

\$69⁹⁵

MFJ-931 artificial RF Ground

Eliminates RF hot spots, RF feedback, TVI/RFI, weak signals caused by poor RF grounding. Creates artificial RF ground or electrically places far away RF ground directly at rig. MFJ-934, \$169.95, Artificial ground/300 Watt Tuner/Cross-Needle SWR/Wattmeter.



MFJ-931

\$89⁹⁵

Dealer/Catalog/Manuals

Visit: <http://www.mfjenterprises.com> or call toll-free 800-647-1800

• 1 Year No Matter What™ warranty • 30 day money back guarantee (less s/h) on orders direct from MFJ

MFJ ENTERPRISES, INC.
300 Industrial Pk Rd, Starkville, MS 39759 PH: (662) 323-5869
Tech Help: (662) 323-0549

FAX: (662) 323-6551 8-4:30 CST, Mon.-Fri. Add shipping. Prices and specifications subject to change. (c) 2005 MFJ Enterprises, Inc.

1.8-170 MHz *plus* 415-470 MHz MFJ HF/VHF/UHF Antenna Analyzer

All-in-one handheld antenna test lab lets you quickly check and tune HF, VHF, UHF antennas anywhere. Covers 1.8-170 MHz and 415-470 MHz. Measures: SWR...Return Loss...Reflection Coefficient...Antenna Resistance(R), Reactance(X), Impedance(Z) and Phase Angle(degrees) ... Coax cable loss(dB) ... Coax cable length ... Distance to short or open in coax ... Inductance ... Capacitance ... Resonant Frequency ... Bandwidth ... Q ... Velocity Factor ... Attenuation ... Has: LCD readout ... frequency counter ... side-by-side meters ... Ni-MH/Ni-Cad charger circuit ... battery saver ... low battery warning ... smooth reduction drive tuning ... One year No Matter What™ warranty...

You can instantly
get a complete picture, check and tune
any antenna from 1.8 to 170 MHz and
415 to 470 MHz -- an MFJ-269 exclusive -- with this rugged easy-to-use handheld antenna test lab! You can measure virtually every antenna parameter.

You won't believe its capability and versatility. This rugged handheld unit literally replaces a workbench full of expensive delicate test equipment.

SWR Analyzer

You can read SWR, return loss, reflection coefficient and match efficiency at any frequency simultaneously at a single glance.

Complex Impedance Analyzer

Read Complex Impedance (1.8 to 170 MHz) as series equivalent resistance and reactance ($R_s + jX_s$) or as magnitude (Z) and phase (degrees). Also reads parallel equivalent resistance and reactance ($R_p + jX_p$) -- an MFJ-269 exclusive!

Coax Analyzer

You can determine velocity factor, coax loss in dB, length of coax and distance to short or open in feet (it's like a built-in TDR).

Coax Calculator™ lets you calculate coax line length in feet given electrical degrees and vice versa for any frequency and any velocity factor -- an MFJ-269 exclusive!

Use any Characteristic Impedance

You can measure SWR and loss of coax with any characteristic impedance (1.8 to 170 MHz) from 10 to over 600 Ohms, including 50, 51, 52, 53, 73, 75, 93, 95, 300, 450 Ohms -- an MFJ-269 exclusive!

Inductance/Capacitance Meter

Measures inductance in uH and capacitance in pF at RF frequencies, 1.8-170 MHz.

Frequency Counter/Signal Source

You can also use it as a handy frequency counter up to 170 MHz and as a signal source for testing and alignment.

Digital and Analog Displays

A high contrast LCD gives precision readings and two side-by-side analog meters make antenna adjustments smooth and easy.

415 to 470 MHz Range features

Just plug in your UHF antenna coax, set frequency and read SWR, return loss and reflection coefficient simultaneously. You can read coax cable loss in dB and match efficiency.

You can adjust UHF dipoles, verticals,



yagis, quads and others and determine their SWR, resonant frequency and bandwidth.

You can test and tune stubs and coax lines. You can manually determine velocity factor and impedances of transmission lines.

You can adjust/test RF matching networks and RF amplifiers without applying power.

Has easy-to-read LCD logarithmic SWR bargraph and SWR meter for quick tuning.

Much Better Accuracy

New 12-bit A/D converter gives much better accuracy and resolution than common 8-bit A/D converters -- an MFJ-269 exclusive!

Super Easy-to-Use

Select a band and mode. Set frequency. Your measurements are instantly displayed! Smooth reduction drive tuning makes setting frequency easy.

Take it anywhere

Take it anywhere - to remote sites, up towers, in cramp places. Fully portable -- battery operated, compact 4Wx2Dx6¼ in., weighs 2 lbs. Free "N" to SO-239 adapter.

Has battery saver, low battery warning and built-in charging circuit for rechargeables.

Use 10 AA Ni-MH or Ni-Cad or alkaline batteries (not incl.) or 110VAC with MFJ-1312D, \$14.95.

MFJ SWR Analyzer Accessories

Carrying Case. MFJ-39C, \$24.95. Tote your MFJ-269 anywhere with this genuine MFJ custom carrying case. Has back pocket with security cover for carrying dip coils, adaptors and accessories.

Made of special foam-filled fabric, the MFJ-39C cushions blows, deflects scrapes, and protects knobs, meters and displays from harm.

Wear it around your waist, over your shoulder, or clip it onto the tower while you work -- the fully-adjustable webbed-fabric carrying strap has snap hooks on both ends.

Has clear protective window for LCD display and cutouts for knobs, connectors.

Dip Coils.

MFJ-66, \$19.95.

Plug these MFJ dip meter coupling coils into your MFJ-269 and turn it into a sensitive, accurate band switched dip meter. Two coils cover 1.8-170 MHz.

Power Pack.

MFJ-99C,

\$34.95 -- Save \$5! 10 MFJ Ni-MH batteries, MFJ-1312D AC adapter.

Accessory Pack.

MFJ-98, \$54.85 --

Save \$5! MFJ-39C custom Carrying case,

MFJ-66 dip coils, MFJ-1312D AC adapter.

Deluxe Accessory Pack.

MFJ-98B, \$77.85. Save \$7! Complete accessory

pack! MFJ-39C carry case, 10 Ni-MH batteries,

MFJ-66 dip coils, MFJ-1312D AC adapter.

MFJ-259B SWR Analyzer™

\$259.95. Has most of the features of the MFJ-269, but covers 1.8-170 MHz.

Deluxe Accessory Pack

MFJ-99B, \$77.85. Save \$7!

10 Ni-MH batteries, MFJ-

1312D AC adapter, MFJ-29C

carrying case, MFJ-66 dip coils.

Free MFJ Catalog

and Nearest Dealer ... 800-647-1800

<http://www.mfjenterprises.com>

• 1 Year No Matter What™ warranty • 30 day money back guarantee (less s/h) on orders direct from MFJ

MFJ ENTERPRISES, INC.
300 Industrial Pk Rd, Starkville,
MS 39759 PH: (662) 323-5869
Tech Help: (662) 323-0549

FAX: (662) 323-6551 8-4:30 CST, Mon.-Fri. Add shipping.
Prices and specifications subject to change. © 2004 MFJ Enterprises, Inc.

MFJ... the World Leader in Ham Radio Accessories!



HAM RADIO BADGE

CUSTOM ENGRAVED

IDENTIFY YOURSELF

At hamfests, field day,
emergency responders, etc...

Engraved with your personal
information.


Anything you can write we can engrave.


**Gold or Silver plated on
Solid brass.**
Dealer Inquires Invited.

Gold \$59.00 Silver \$49.00
*US: Add \$6.00 Insured S/H
International: Add \$10 S/H*

MAXSELL CORPORATION
4400 W. HILLSBORO BLVD, #2 • COCONUT CREEK, FL 33073

Credit Cards or
Money Orders Accepted







Size:
2 1/2" x 3 1/2"

Order Toll Free
1-877-332-2343 www.maxsell.com

ADVANCED ANTENNA ANALYSTS™


VA1 RX VECTOR Analyst



0.5 to 32 MHz.
Freq., SWR,
Impedance,
L & C, R & X.
Sign of X.
Much More!
\$199.95 + S/H


Some say this is the best there is without spending thousands on a network analyzer. Yet it is easy to use and fits in your pocket. **Check our web site** for all the features of this marvelous instrument!

RF1 RF Analyst



1.2 to 35 MHz.
Frequency, SWR,
Impedance, L & C.
Advanced and low priced.
\$139.95 + S/H

RF5 VHF Analyst



35 to 75 MHz & 138 to
500 MHz. Frequency,
SWR, Impedance.
Finds lowest SWR or Z
automatically!
\$229.95 + S/H

Each analysts has a low power "xmtr" to go anywhere in its range – not just the ham bands. Measures SWR, feedline loss, baluns, 1/4-wave lines. Measure at the antenna or in the shack. Adjust Yagis, quads, loops, dipoles, verticals, slopers, networks, traps and much more! Each is microprocessor-based and pocket-sized – about the size of the battery pack in others! Only about 8 oz. Uses one 9V standard battery. For much more information, please visit our web site.

WM1 COMPUTING METER



PEP/AVG
Lit Meters
Remote RF
Head
Accurate
Convenient
**\$149.95
+ S/H**

Our WM1 gives you what you want – **SWR on one meter; power on the other!** No adjustments or crossed needles. Even reads SWR in PEP mode on SSB. 5% FS. 1.5 to 30 MHz. Usable on 6M. 1 to 2000 Watts. 8 to 18V DC. 115V AC adaptor, **free**. 6 3/8 X 3 3/4 X 3" D. Owners call it the best wattmeter even made!

Call to order with MC, VISA or send Check, MO. Add \$8 S/H in 48 States. Add tax in FL. We ship worldwide. See our web site for all rates and combo discounts.


Autek Research

Box 7556, West Chapel, FL 33544
(813) 994-2199
www.autekresearch.com

Hints & Kinks

FOR THE RADIO AMATEUR

17th Edition – The best of Amateur Radio tips and techniques from the pages of *QST*—antennas, weekend projects, shack accessories and operating. And, now including articles from the columns **The Doctor is IN** and **Hands-On Radio**. Learn more about a new mode, or find your next construction project!



ARRL Order No. 9361—**Only \$17.95***
*shipping \$7 US (ground)/\$12.00 International
Order toll-free **1-888-277-5289 (US)** —
www.arrl.org/shop
tel: 860-594-0355 fax: 860-594-0303 email: pubsales@arrl.org

ARRL The national association for **AMATEUR RADIO** HB 8/2005

IIX EQUIPMENT LTD.

▪ Custom Fabrication ▪ Hot Dip Galvanizing ▪





MM-Series Mobile Mounts

4421 West 87th Street, Hometown, IL 60456
Email: iix@w9iix.com
708-423-0605 ▪ Fax: 708-423-1691
www.w9iix.com






TURBO TUNER

**Automatic Screwdriver
Antenna Controller**

**Automatically Tune Your
Antenna By Pushing Your
Radio's Tune Button**



Works with the following antennas:

Tarheel High Sierra Hi-Q & Others

Works with the following radios:

Icom IC-706 IC-7000 & most Icom HF

Kenwood TS-480 TS-2000 TS-570

Yaesu FT-857D FT-897D FT-817D

888-450-2632
WWW.N2VZ.COM
BILL@N2VZ.COM
N2VZ Enterprises

HEIL • GAP ANTENNAS • ROHN • HUSTLER • MFJ • COMET

AMERITRON • CUSHCRAFT • VECTRONICS •



Ginpole for Rohn 25-55 and round leg towers up to 2" O.D. Shown here with optional base pulley. Also ginpoles for BX type Towers.

WB0W, INC.



Clear Speech



\$198.95
Traveler



\$52.95


Ten-Tec
Studio One



\$79.95

TURBO TUNER
for Tarheel \$235.00

BX Tower
& Accessories



ROHN/Radian
Tower
& Accessories

25G/45G/55G \$90/199/249



Little Tarheel
6-40 meters
Little Tarheel II
6-80 meters
\$349

Tarheel Antennas

Model 100
10-80 meters
\$349



Model 1000
"Bubba"
10 thru 80
\$499



Model 200
6-80 meters
\$359



Model 1200
"Bubba II"
10 thru 160
\$549

ARRL Books
ARRL Study Guides

TE SYSTEMS
AMPLIFIERS

WWW.WB0W.COM

800-626-0834

816-364-2692 • Fax 816-364-2619

P.O. Box 8547, St. Joseph, MO 64508

WB0W@WB0W.COM

• GLEN MARTIN ENGINEERING • DIAMOND • MIRAGE •
• ANDREWS • LDG • BX TOWERS • LMR • GIN POLES •

For the Experimenters Toolbox! L/C/F and Single-Layer Coil Winding Calculator

Use this handy slide rule when you're tinkering with filters, oscillators, impedance matching circuits or antenna coils and traps. Quick and easy circuit calculations.

ARRL Order No. 9123—Only \$12.95*



*shipping \$7 US (ground)/\$12.00 International

ARRL The national association for
AMATEUR RADIO

SHOP DIRECT or call for a dealer near you.

ONLINE WWW.ARRL.ORG/SHOP

ORDER TOLL-FREE 888/277-5289 (US)



HB 8/2005

What if passing the written test was **GUARANTEED?**

If you fail a U.S. Amateur Radio written exam after preparing with the *HamTestOnline™* website, we will refund your subscription!

We GUARANTEE success!

\$49.95 for a 2-year website subscription, including all questions and study materials for the Technician, General, and Amateur Extra exams.

Web-based training for the
U.S. Amateur Radio written exams

www.hamtestonline.com



Quality
Transmitting
& Audio Tubes

Taylor
TUBES



- COMMUNICATIONS
- BROADCAST
- INDUSTRY
- AMATEUR

Immediate Shipment from Stock

3CPX800A7	3CX15000A7	4CX5000A	813
3CPX5000A7	3CX20000A7	4CX7500A	833A
3CW20000A7	4CX250B	4CX10000A	833C
3CX100A5	4CX250BC	4CX10000D	845
3CX400A7	4CX250BT	4CX15000A	866-SS
3CX400U7	4CX250FG	4X150A	872A-SS
3CX800A7	4CX250R	YC-130	5867A
3CX1200A7	4CX350A	YU-106	5868
3CX1200D7	4CX350F	YU-108	6146B
3CX1200Z7	4CX400A	YU-148	7092
3CX1500A7	4CX800A	YU-157	3-500ZG
3CX2500A3	4CX1000A	572B	4-400A
3CX2500F3	4CX1500A	807	M328/TH328
3CX3000A7	4CX1500B	810	M338/TH338
3CX6000A7	4CX3000A	811A	M347/TH347
3CX10000A7	4CX3500A	812A	M382

— TOO MANY TO LIST ALL —



ORDERS ONLY:

800-RF-PARTS • 800-737-2787

Se Habla Español • We Export

TECH HELP / ORDER / INFO: 760-744-0700

FAX: 760-744-1943 or 888-744-1943



An Address to Remember:

www.rfparts.com

E-mail:

rfp@rfparts.com



RF PARTS™
COMPANY

HONDA GENERATORS

What are you plugging into?

- **Super quiet running**
(Quieter than normal speech! 53- 59 dB)
- **Inverter technology**
(Run sensitive electronics & computers worry free!)
- **Lightweight & portable**
(Easy to carry - weighs less than 47 pounds!)
EF1000 & EU1000 each weigh less than 30lbs!
- **Variable smart throttle**
(Automatically adjusts engine speed to precisely match load, resulting in greater fuel efficiency and noise reduction.)



EF1000iS



EU2000iA



YAMAHA

We stock and sell the full line of
Honda & Yamaha Generators at discounted
prices. Shipped direct from us to you!

Call us for current sale prices:

800-696-1745



232 Main Street / PO Box 113

- Port Murray, NJ 07865 -

MAYBERRY
SALES & SERVICE, INC.

Please read your owner's manual before operating your Honda Power Equipment. Connection of a generator to house power requires a transfer device to avoid possible injury to power company personnel. Consult a qualified electrician

www.TENNADYNE.com

**Worldwide Leader
in Log-Periodic
Antennas**

Aluminum with a PhD

**5-Band HF (13 thru
30 MHz) from \$489**


**Several different
models covering
HF, VHF, UHF and
Microwave frequency
ranges are available.**

616-868-9907

Free Shipping to 48

tennadyne@tennadyne.com

A picture is worth a thousand words...



With the all-new

ANTENNA MODEL™

wire antenna analysis program for Windows you get true 3D far field patterns that are far more informative than conventional 2D patterns or wire-frame pseudo-3D patterns.

Describe the antenna to the program in an easy-to-use spreadsheet-style format, and then with one mouse-click the program shows you the antenna pattern, front/back ratio, front/rear ratio, input impedance, efficiency, SWR, and more.

An optional **Symbols** window with formula evaluation capability can do your computations for you. A **Match Wizard** designs Gamma, T, or Hairpin matches for Yagi antennas. A **Clamp Wizard** calculates the equivalent diameter of Yagi element clamps. A **Yagi Optimizer** finds Yagi dimensions that satisfy performance objectives you specify. Major antenna properties can be graphed as a function of frequency.

There is **no built-in segment limit**. Your models can be as large and complicated as your system permits.

ANTENNA MODEL is only \$85US. This includes a Web site download and a permanent backup copy on CD-ROM. Visit our Web site for more information about **ANTENNA MODEL**.

Teri Software
P.O. Box 277
Lincoln, TX 78948

www.antennamodel.com

e-mail sales@antennamodel.com
phone 979-542-7952

SUPERIOR QUALITY
Supplying power
grid tubes to Hams
for over 70 years!

Eimac®

Made in U.S.A
San Carlos, CA
Palo Alto, CA
www.eimac.com

SIGNAL STRENGTH METER

<3 MHz to >5 GHz

The ZC 185 is an extremely sensitive Radio Frequency (RF) Detector that operates over a broad span of frequencies.

MODEL ZC 185



HAM RADIO uses: Detects and locates Fox Xmters, far-field tune-ups of milliwatt to kilowatt rigs, measures antenna patterns, detects oscillations, locates cable leaks & RFI, monitors power.

COMPUTER WIRELESS uses: Super Wi Fi sniffer, detects Hot & Cold spots, measures baseline RF, optimizes hub & satellite network sites, locates hacker sites, strengthens RF signal links.

SECURITY uses: Supersensitive covert camera and bug detector, simplifies wireless installations, aligns antennas, verifies transmissions, identifies hacker sites, locates interference.

\$159.00
(+\$7 S&H)

ALAN BROADBAND CO.
Ph: (650) 369-9627, Fax: (650) 369-3788

WWW.ZAPCHECKER.COM

RF Amplifiers, RF Transistors, Chip Caps, Metal Clad Micas
& Hard to Find Parts



HF Amplifiers

PC board and complete parts list for HF amplifiers described in the Motorola Application Notes and Engineering Bulletins:


AN779H (20W)	AN758 (300W)
AN779L (20W)	AR313 (300W)
AN762 (140W)	EB27A (300W)
EB63 (140W)	EB104 (600W)
AR305 (300W)	AR347 (1000W)



Low Pass Harmonic Filters
2 to 30MHz



HF Broadband RF Transformers
2 to 30MHz



RF Transformers
2 to 300MHz
Type "U"



HF Power Splitters/Combiners

2 Port:
PSC-2L Set 600W PEP
PSC-2H Set 1000W PEP
PSC-2H4 Set 4000W PEP

4Port:
PSC-4L Set 1200W PEP
PSC-4H Set 2000W PEP
PSC-4H5 Set 5000W PEP

CCI Communication Concepts, Inc.
508 Millstone Drive Beaver Creek, OH 45434-5840
Email: cci.dayton@pobox.com
www.communication-concepts.com
Phone (937) 426-8600 FAX (937) 429-3811

The Ultimate Sound Card Interface!



No Serial or USB Port Required!

Only \$69.95 + Shipping
Model SL-1 still just \$49.95

www.tigertronics.com

Operate all sound card Digital and Voice modes with the **SignalLink™ SL-1+** from Tigertronics! Whether you are interested in PSK-31, MT63, SSTV, Packet, EchoLink, or any of the dozens of other modes, this is the interface that you have been waiting for! The **SignalLink™** is fully assembled, and comes complete with radio interface cable, printed installation manual and software. Visit our web site for more information on this and other exciting Amateur Radio products from Tigertronics!




Order Toll Free!
800-822-9722
541-474-6700

Tigertronics 154 Hillview Drive Grants Pass, Oregon 97527

from
MILLIWATTS
to **KILOWATTS**

More Watts per Dollar™



- **Wattmeters**
- **Transformers**
- **TMOS & GASFETS**
- **RF Power Transistors**
- **Doorknob Capacitors**
- **Electrolytic Capacitors**
- **Variable Capacitors**
- **RF Power Modules**
- **Tubes & Sockets**
- **HV Rectifiers**



ORDERS ONLY:

800-RF-PARTS • 800-737-2787

Se Habla Español • We Export

TECH HELP / ORDER / INFO: 760-744-0700

FAX: 760-744-1943 or 888-744-1943



An Address to Remember:
www.rfparts.com

E-mail:
rfp@rfparts.com



RF PARTS™
COMPANY

Radios You Can Write Off-Kids You Can't



DONATE YOUR RADIO

RADIO CLUB OF JUNIOR HIGH SCHOOL 22, PO BOX 1052, NEW YORK NY 10002
Call 516-674-4072 FAX 516-674-9600 e-mail: crew@wb2jkj.org www.wb2jkj.org



- ❖ Turn your excess Ham Radios and related items into a tax break for you and a learning tool for kids.
- ❖ Donate radios or related gear to an IRS approved 501(c)(3) charity. Get the tax credit and help a worthy cause.
- ❖ Equipment picked up anywhere or shipping arranged.


Bringing Communication to Education Since 1980

International Antenna Collection

The very best articles published on antennas from around the world! Many traditional designs, receiving and transmitting, fixed and mobile antennas—from 136 kHz to 1.3 GHz. Includes stealthy and invisible antennas.

Published by RSGB and ARRL

Volume 1,
ARRL Order No. 9156 Only \$19.95*
NEW! Volume 2,
ARRL Order No. 9465 Only \$21.95*
*shipping and handling charges apply.



HB 8/2005

ARRL The national association for
AMATEUR RADIO

New Science Book

Hard cover

Physics - Astronomy - Sciences

New Theories with Interpretations. Read about "The Death of Modern Gravity Theory", "Electricity, Flow of Electrons or Magnetism?", "Electromagnetic Pulses or Waves?", "Will an Object Launched into Space Ever Stop?", "Distance and Time - Are They the Same?", "Electromagnetic Pulse Speeds", and much more.

To order: Fax 972.874-0687 or send order to:

Walter H. Volkmann, W5OMJ
P.O. Box 271797
Flower Mound, TX 75027-1797

\$16.00 Postpaid USA
\$24.00 Postpaid Foreign Airmail

30 Day Money Back Guarantee

You must be satisfied with book or return postpaid for full refund of purchase price. No questions asked.




ROTOR PARTS





Alliance, CDE, Hy-Gain



www.Rotor-Parts.com

C.A.T.S.

7368 S.R. 105
Pemberville, OH 43450
Contact: N8DJB
www.Rotor-Doc.com



Quality Radio Equipment Since 1942

AMATEUR TRANSCEIVERS



Universal Radio is your authorized dealer for all major amateur radio equipment lines including: Alinco, Icom, Yaesu, Kenwood and SGC.

SHORTWAVE RECEIVERS



Whether your budget is \$50, \$500 or \$5000, Universal can recommend a shortwave receiver to meet your needs. Universal is the *only* North American authorized dealer for *all* major shortwave lines including: Elad, Icom, Yaesu, Japan Radio Company, Ten-Tec, Grundig, etón, Sony, Sangean, Palstar, RFspace and Kaito.

WIDEBAND RECEIVERS



Universal Radio carries a broad selection of wideband and scanner receivers. Alinco, AOR, Icom, Yaesu and Uniden models are offered at competitive prices. Portable and tabletop models are available.

ANTENNAS AND ACCESSORIES

Your antenna is just as important as your radio. Universal carries antennas for every need, space requirement and budget. Please visit our website or request our catalog to learn more about antennas.

BOOKS

Whether your interest is amateur, shortwave or collecting; Universal has the very best selection of radio books and study materials.

USED EQUIPMENT

Universal carries an extensive selection of used amateur and shortwave equipment. All items have been tested by our service department and carry a 60 day warranty unless stated otherwise. Request our monthly printed used list or visit our website:


www.universal-radio.com

VISIT OUR WEBSITE

Guaranteed lowest prices on the web? Not always. But we *do* guarantee that you will find the Universal website to be the *most* informative.

www.universal-radio.com

VISIT OUR SHOWROOM



Universal Radio, Inc.
6830 Americana Pkwy.
Reynoldsburg, OH 43068


► 800 431-3939 Orders
► 614 866-4267 Information
► 614 866-2339 Fax
► dx@universal-radio.com

FREE 108 PAGE CATALOG

Our informative print catalog covers everything for the amateur, shortwave and scanner enthusiast. All items are also viewable at:
www.universal-radio.com

- ✓ Established in 1942.
- ✓ We ship worldwide.
- ✓ Visa, Master and Discover cards.
- ✓ Used equipment list available.
- ✓ Returns subject to 15% restocking fee.

from
MILLIWATTS
to **KILOWATTS**
More Watts per Dollar



- Transistors
- Power Modules
- Semiconductors



ORDERS ONLY:

800-RF-PARTS • 800-737-2787

Se Habla Español • We Export

TECH HELP / ORDER / INFO: 760-744-0700

FAX: 760-744-1943 or 888-744-1943

An Address to Remember:
www.rfparts.com

E-mail:

rfp@rfparts.com



RF PARTS
COMPANY



RADIO PRODUCTS

www.alpharadioproducts.com

We've been making amplifiers since 1970. Over the past 35 years our products have earned an unsurpassed reputation for rugged, reliable performance. Our current offering is no different.

Amplifiers

- Full QSK
- Continuous duty cycle
- Fault protection
- Better than 50dB below rated harmonic output
- Better than 30dB below rated intermodulation output

The Alpha 87A utilizes two 3CX800 Eimac ceramic triodes. It switches bands and tunes in under 800 milliseconds. The built-in AlphaMax firmware provides auto-tune functionality.

Wattmeter

- Covers 1.8MHz to 30 MHz frequency range
- Each unit is individually calibrated for frequency and temperature
- Unit is accurate to within 4% of actual value, independent of scale. Most wattmeters are only accurate within 5% of the measurement scale (for example measuring 150watts on a 1kW scale would only provide a plus or minus 50 watt accuracy on a traditional wattmeter, where as an Alpha wattmeter will only have a deviation of plus or minus 6 watts, irrespective of scale).
- The analog meter displays Forward power, Reflected power or SWR. The included PC application with a serial connection will simultaneously show all three measurements.



The Alpha 99 utilizes two 4CX800 Svetlana ceramic tetrodes. It is capable of 1.5kW continuous RF output on all commonly used modes and on any authorized amateur frequency from 1.8 to 29.7 MHz with no time limit.

Alpha Radio Products

6185 Arapahoe Rd.
phone: 303.473.9232

Boulder, Colorado 80303



Hands-on Ham Radio™

Top Performing Transceivers and Accessories
from America's leading kit company.



The T1 ATU

The pocket-size Elecraft stand-alone automatic antenna tuner. Can be used with any 0.5 to 20-watt HF transceiver! Available as a kit, or assembled!



The K2

Our high-performance multiband 100W HF transceiver with features and specifications that exceed those of most high-end factory-assembled HF transceivers!



The K1

A compact, high-performance 4 (K1-4) or 2 (K1-2) band CW transceiver kit that's easy to build. A great choice for first-time kit builders!



The KX1

An ultra-light, multi-band, transceiver with an internal battery and an automatic antenna tuner. This "CW-station-in-a-box" is a backpacker's dream!

Transceivers



Visit our web page for details on our complete product line, on-line secure ordering, customer and magazine review reprints, downloadable manuals and more!

Elecraft, Inc., P.O. Box 69, Aptos, CA 95001-0069, Phone: (831) 662-8345, sales@elecraft.com

www.elecraft.com

BitScope

Analog + Digital

100MHz Digital Oscilloscope

- ✓ Dual Channel Digital Scope using industry standard BNC probes or analog inputs on the POD.

40MS/s Logic Analyzer

- ✓ 8 logic, External Trigger and special purpose inputs to capture digital signals down to 25nS.

Mixed Signal Oscilloscope

- ✓ True MSO to capture analog waveforms time-aligned with logic using sophisticated cross-triggering on any input.

Real-Time Spectrum Analyzer

- ✓ See spectra and waveforms in real-time displayed simultaneously

Waveform Generator

- ✓ Load up to 128K arbitrary waveform and replay via BNC B. Capture circuit response simultaneously on BNC A

PC Oscilloscopes & Analyzers

Get the full picture with BitScope Mixed Signal Oscilloscopes



Turn your PC into a powerful Digital Storage Oscilloscope!

See inside your circuit with simultaneous analog, logic and spectrum displays to make tracking down those elusive real-time bugs much easier.

BitScope combines a high speed synchronized storage scope and logic analyzer with a programmable waveform generator and spectrum analyzer.

With "Smart POD" connected active probes and multiple software options you've got the perfect low cost high performance test and debug solution!



Standard 1M/20pF BNC Inputs

200uV-20V/div with x10 probe
S/W select AC/DC coupling
Switchable 50ohm termination
Arbitrary Waveform Generator

BitScope Smart POD probe connector

8 logic channels, cross-triggering
Dual channel analog inputs
Async serial I/O for external control
Supports active probes



USB 2.0 or Ethernet Connectivity

Single cable to PC or switch
Compressed data transmission
Ethernet option uses UDP/IP
Internet addressable device

Expandable and Programmable

Simple ASCII Protocol
BitScope Scripting Language
Add active probes and devices
Supplies up to 500mA via POD

BitScope and your PC provide an array of Virtual Instruments



BitScope's integrated design uses standard oscilloscope probes and a growing range of custom probes to provide functionality equal to instruments many times the price.

BitScope plugs into third party software tools and has an open API for user programming and custom data acquisition.

BitScope DSO software for Windows and Linux

www.bitscope.com

Mike's Electronics

**AMATEUR
MARINE
LAND MOBILE
AVIONICS
TOWERS
POWER SUPPLIES
WIRE & CABLE
CONNECTORS
ANTENNAS**

ICOM

AND OTHER
MAJOR COMPANIES
WITH WHICH WE
DO BUSINESS:

**YAESU
RADIAN/ROHN
MFJ
HY-GAIN
NEWTRONICS/HUSTLER
ASTRON
COMET
MALDOL
MIRAGE
SCS
PRYME
TRAM
JSC LOW LOSS
COAXIAL CABLE
VANCO
UNIDEN/BEARCAT
RADIAL/LARSEN
ARRL**

**Serving You for Over
25 Years.**

World-Wide Shipping.

**1001 N.W. 52nd St.
Ft Lauderdale, FL 33309
Local: 954-491-7110
Toll Free: 800-427-3066
Fax: 954-491-7011
mspivak@bellsouth.net**

Alpha Delta Broadband (HF thru 3 GHz) Coax Surge Protectors

Tested and Certified to the Toughest
Commercial Wireless Standards!

Effective protection from antenna induced atmospheric surges, wind driven electrical static discharges and nearby lightning strikes. Our commercial and military wireless customers wouldn't think of operating their expensive 2-way comm, LMDS, MMDS, GPS, ISM and satellite systems without **Alpha Delta Model TT3G50 Coax Surge Protectors** installed on their antenna coax feed lines. **Every** amateur station should also utilize these devices!

■ **Broadband**—One unit covers 0-3 GHz, instead of multiple units required in bandpass designs.

■ **Unique Design**—Allows control voltages to be passed thru the Alpha Delta design, eliminating the "wire around" requirement of DC blocked designs. Customer approvals show performance is as good or better than DC blocked designs. **UL tested** and listed to spec 497B for comm circuits.

■ **Field Replaceable ARC-PLUG™ Module**—The screw-in gas tube module is easily removed/replaced with the knurled knob with no tools required. This feature eliminates a major maintenance issue since the protector doesn't need to be removed from the coax connections, which are often sealed. Other designs require the entire unit to be removed from the circuit and discarded.

■ **Weather Protected**—Entire unit is weather protected using "O" ring seals under connectors and the ARC-PLUG module knurled knob.

■ **Variety of Connector Styles and Power Levels Available**—Type N, UHF (SO239), F, TNC, and BNC types in various configurations. Stocked in female/female type N, UHF, and F types. 200 watt and 2 kW power levels—same price. Simply add suffix "HP" for high power type. For OEM/commercial **bulk pack** orders, use Model number **TT3G50** series. Same units but not on point of sale cards. Individual orders add \$8.00 ea, s/h in U.S.; OEM qtls and Exports quoted.

Model ATT3G50 (200 watts, female N connectors, 0-3 GHz) \$59.95 ea.

Model ATT3G50U (200 watts, female UHF connectors, 0-500 MHz) \$49.95 ea.



ALPHA DELTA COMMUNICATIONS, INC.

AA

P.O. Box 620, Manchester, KY 40962 • (888) 302-8777
(606) 598-2029 • fax (606) 598-4413

www.alphadeltacom.com



We Got That!

We Have Owners and Service Manuals for Most Makes and Models of Vintage, Classic and Current Ham Radio Equipment!

Hamradiomanuals.com is a project of The Radio Club of JHS 22 NYC, "The 22 Crew". Our goal is to provide the best possible product at the lowest cost all with friendly, helpful & prompt service.

E-MAIL: hamradiomanuals@aol.com


HAMRADIOMANUALS
91 Shore Road
Glen Cove, NY 11542
516-671-1181
Fax: 516-674-9600

www.hamradiomanuals.com

Books, CDs & Software for Radio Designers!

"Like many radio engineers, I started in amateur radio. These titles were written for professionals, but you'll find them easy to read. I welcome your business."

Randy Rhea, N4HI



SOFTWARE

\$149 **winSMITH**
Design transmission line & L-C circuits & learn how to use the Smith chart. Written by the engineers at Eagleware. Runs on Windows 98 & XP

TUTORIAL CDs

\$99 **Introduction to the Smith Chart**
A great way to learn about the Smith chart & to begin solving antenna, matching & other problems.

\$99 **Theory & Practice of Transmission Line Transformers**
History & practical theory by Jerry Sevick, W2FMI. Covers many types of these broadband devices.

\$297 **Practical Issues in HF Frequency Design**
This series of 3 CDs explains why HF circuits often don't behave as expected. You'll learn how to fix them.

\$99 **AMW Magazine Archive**
A searchable archive of over 500 great technical articles from Applied Microwave & Wireless magazine published from 1989 to 2002.

BOOKS

The Radioman's Manual of RF Devices **\$69**
Complete guide to radio system measurements & test equipment.

RF Power Amplifiers **\$75**
Excellent coverage of class A, B, AB, C, D, E, F & S amplifiers. Also good coverage of transformers & matching.

Radio Receiver Design **\$89**
In depth guide to RF design including receivers, amplifiers, noise, mixers, oscillators, IFs & linearity.

HF Radio Systems & Circuits **\$89**
This 2nd edition contains over 600 pages of modern receiver & exciter design techniques from the front-end preselector to speech processing. Includes disk for Windows.

Radio-Electronics Transmission Fundamentals **\$75**
Easy to read & complete introduction to electrical circuit theory & electronic systems. Good review for professionals & introduction for amateurs.


HF Filter Design & Computer Simulation **\$69**
Complete guide to L-C and printed filter design. This was Noble's first book & it remains a best seller today!

Electronic Applications of the Smith Chart **\$69**
The original book by Phil Smith, call sign 1ANB. Covers the history design & use of his famous chart.

Oscillator Design & Computer Simulation **\$69**
The popular & authoritative book on oscillator design. Covers VCO, xtal & transmission line oscillators.

ARRL's HF DIGITAL HANDBOOK

3rd Edition



Get on air and enjoy the fascinating world of HF digital communication. You'll learn how to...

- Assemble your own HF digital station.
- Operate PSK31—the "hot" HF digital mode.
- Chase DX and contest contacts with RTTY—radioteletype.
- Connect to the Internet from any location using the WinLink2000 PACTOR network.
- Explore other HF digital modes such as Hellschreiber, Clover, MFSK16, MT-63, Q15X25 and Throb.

...and much more!

Includes a handy **Resources** section. Find downloadable software, manufacturers and complete technical specifications for many HF digital modes.

ARRL Order No. 9159
— Only **\$19.95***

*shipping: \$7 US (ground)
\$12.00 International

ARRL The national association for AMATEUR RADIO

SHOP DIRECT or call for a dealer near you.
ONLINE WWW.ARRL.ORG/SHOP
ORDER TOLL-FREE 888/277-5289 (US)



HB 8/2005

ORDER DIRECT at WWW.NOBLEPUB.COM
or at www.arrl.org/shop

Editorial Office
1334 Meridian Rd
Thomasville, GA 31792
TEL 229.377.0587
randy@noblepub.com

New 24 Hour
Order Desk
800.247.6553


NOBLE
PUBLISHING

Flash Crystal Frequency Synthesizer

- **Clean, Stable RF Signal Source** — Great for local oscillators and lab test equipment applications!
- **Several Models Available** — Covering from 7 MHz up to 148 MHz
- **Can Store Up to 10 Frequencies** — Board-mounted mini rotary dip switch for frequency selection
- **Completely Re-Programmable** — Program the 10 frequencies using any PC running Hyperterminal (included in Windows operating systems)
- **Economical** — A fraction of the cost of comparable lab-grade RF signal synthesizers
- **Outputs Approximately 5 mW (+7 dBm)** — Female SMA RF output connector
- **Fully Assembled, Tested, and Ready to Go!** — Just \$80 (plus \$4.30 S/H in US)
- **Super Compact** — Measures less than 2 by 2 inches!
- **Power Requirements** — 8 to 15V dc at approximately 55 mA

For Further Details, Visit Our Web site for the Owners Manual

Expanded Spectrum Systems • 6807 Oakdale Dr • Tampa, FL 33610
813-620-0062 • Fax 813-623-6142 • www.expandedspectrumsystems.com



HC-49 Crystals

- Frequencies: 3535, 3560, 7030, 7038, 7040, 7042, 7058, 7122, 7190, 7195, 10106, 10125, 10700, 14057, 14058, 14060, 21060, 24906, 28060, 28238, 28258 kHz
- Specs: +/-100 ppm, 18 pf

Cylindrical Crystals

- Frequencies: 3560, 7030, 7038, 7040, 7042, 7190, 10106, 10125, 14025, 14200, 14285, 18096, 21026, 21060, 24906, 28060 kHz
- Specs: +/-100 ppm, 18 pf, 3x8 mm. (3560 crystal: 3x10 mm)

Alinco delivers more operating fun for less.

Dual Band Dynamos for your pocket or your car!

DR-635T 2M/440MHz Mobile/Base Transceiver

Dual Band Transceiver with Full Duplex Capability

Alinco's new DR-635T is an easy-to-use, high-quality transceiver for simplex and repeater operations on the VHF and UHF bands. With cross-band repeat, full duplex capability and a remote mountable control head, the DR-635T features newly designed RF circuitry that delivers increased resistance to interference from adjacent signals. Plus, a new protection circuit automatically lowers the power setting whenever the internal temperature rises. This protects the radio when used as a cross-band repeater. But, that's just the beginning:



- Large, 6 character alphanumeric display with freely and separately selectable three color display illumination in blue, violet or orange for TX/RX/stand-by
- TCXO that is stable to ± 2.5 ppm
- Narrow FM mode
- Power supply voltage display
- Ignition key on/off feature & theft alarm feature
- CTCSS, DCS encode/decode and DTMF encode functions plus European Tone Bursts
- Multiple scan modes and extended receive capabilities including broadcast FM
- Backlit DTMF microphone allows direct frequency entry and more
- VHF: 50/20/5, UHF: 35/20/5 watt power output settings
- 200 Memory channels that can operate in splits of 80ch/VHF, 80ch/UHF and 40ch freely programmable with 1 call channel each for VHF and UHF operation
- Extended receive from 108.000 ~ 173.995MHz / 335.000 ~ 479.995MHz / 87.5 ~ 107.995MHz, transmits from 144.000 ~ 147.995MHz / 430.000 ~ 449.995MHz, plus reception on AM aircraft band and the ability to operate on MARS frequencies
- Can also operate with Alinco's optional EJ-50U digital data packet board that fits inside or the EJ-47U digital voice board

*Thanks to
Alinco,
you can
have a
dual band
dynamo
in your
pocket
AND in
your car!*



DJ-C7T 2M/440MHz "Pocket-size" HT

Hams are packing some serious radio power in their pockets with the DJ-C7T, the new dual band mini HT. Alinco led the way in breakthrough miniature electronics technology with its revolutionary "credit card" size transceivers. Now, the DJ-C7T offers a "pocket size" HT that's small in size but BIG in added memories and modes.

Check out the features of this "new generation" DJ-C7T

- Internal speaker with great audio!
- 200 Memories
- VFO, Memory and Scan modes
- 39 CTCSS tone squelch (encode+decode) settings
- Split function
- SMA antenna port
- As thin as 0.57in. and just 3.59 oz. total weight with antenna and battery
- Cloning feature
- Lithium-ion battery
- Wide-band receive; includes FM broadcast and AM aircraft bands
- Auto repeater setting

*The DJ-C7T can fit in
a pocket or purse, but
it's a versatile dual
band HT with an
enhanced receiver.
So, you can enjoy
twice the operating
fun in half the size.*

WWW.ALINCO.com

Distributed in North America by Ham Distribution, Inc., 15 South Trade Center Pkwy, #B5, Conroe, Texas, 77385. Phone: 936-271-3366. Fax: 936-271-3398. email: USRep@Alinco.com.

Check regulations before operating in crossband mode. Products intended for properly licensed operators. Permits required for MARS use. CAP use subject to equipment approval. Specifications subject to change without notice or obligation. Performance specifications only apply to amateur bands. NOTICE: Effective 5/1/2004, ALL warranty claims and requests for repair/technical assistance for Alinco products should be sent to Ham Distribution, Inc. regardless of contact information found on the warranty certificate packed with the product.

ATTENTION DRAKE OWNERS!

Does your Drake drift? Tired of continually retuning?

Then You Need this External VFO!

The brainchild of Don Jackson, K5ATW, and Roger Bankston, W5IAB, these new **RB7500-series** DDS (Direct Digital Synthesizer) VFOs will **put an end to your Drake's drifting problems.** These devices employ a Zilog EZ80F91 CPU @ 50 MHz, and an Analog Devices AD9851 DDS chip to deliver a high-stability replacement for the signal from the rig's internal PTO.



Highlights include a smooth spinning shaft encoder with 1000 steps/revolution, selectable tuning rates of 1 kHz, 10 kHz, or 100 kHz per revolution, and a heavy solid cast aluminum tuning knob that delivers a *truly* professional feel. **Installation is as easy as "plug in and play!"** These **RB7500-series** DDS VFOs provide state-of-the-art frequency stability for your classic Drake gear!

- Dual VFOs with TX/RX/Transceiver/Split*
- 4-Line Backlit LCD Display
- TCXO Reference with 2.5 ppm Stability
- 6 5/8" W x 4 1/8" H x 6 1/4" D
- AC Power Adapter & Interconnect Cable Included

Prices:

RB7500 (for the Drake TR-7): **\$475**

RB7501 (for the Drake TR-7, TR-7A, R-7 and TR-4310): **\$500**

RB7510 (for the Drake TR-4): **\$475 NEW!**

Plus Shipping and Insurance.

*Transmit capabilities are unavailable on the R-7.

Announcing the RB5000 Calibrator, a highly accurate TCXO-based Marker Generator for any brand of Vintage, Classic or Contemporary Gear

Place one of these at your operating position, and you'll always be able to determine your operating frequency with **precision!**



The **RB5000 Calibrator** is a very simple piece of test equipment that's just what the doctor ordered for **checking the accuracy of the frequency display** – be it analog or digital – of any HF radio receiver (or the receiver section within a transceiver). It generates calibration "marker" signals from 25 kHz to well over 100 MHz.

A TCXO (Temperature Compensated Crystal Oscillator) and frequency divider chain provides harmonic-rich switch-selectable calibration signals at 500, 250, 100, 50 or 25 kHz spacings. The frequency accuracy is 2.5 ppm (± 9 Hz at 3.5 MHz; ± 75 Hz at 30 MHz). Even if your vintage/classic receiver already *has* a built-in marker generator, it's no match for the precision of the RB5000.

No "hook up" is required! A short wire "antenna" is connected to the **RB5000 Calibrator's** RF output and is positioned to couple the signal to the receiver. Powered from 5 "AA" batteries (included).

Price: RB5000 Calibrator: \$69.95

Plus Shipping and Insurance.

www.mistyhollowenterprises.com

Misty Hollow Enterprises • 1509 Derby Run, Carrollton, TX 75007
(214) 995-9691 • Mon - Fri 9 AM - 5 PM Central • e-mail: navaidst@tstar.net

USB port Interfaces



CW KEYER^{NEW}



micro KEYER

www.microHAM.com

Eliminate Telephone Interference with K-Y Filters!

High Performance HF and AM Broadcast Radio Frequency Interference Filters for Telephone, Dial-Up Modem and Fax Machine Applications

RF-1 – Stops HF radio interference from jamming telephones, Fax machines and dial-up computer modems.

AM-1 – Stops phone line interference resulting from nearby commercial AM broadcast radio stations.

RJ-11 connectors make hook up a snap. So easy to install, even your neighbor can handle it!




K-Y Filter Company
3010 Grinnel Place
Davis, CA 95616
ki6ky@ix.netcom.com
(530) 757-6873

Visit our Web site for further information,
 and free RFI elimination tips.
 Order Online 24 Hours a Day/7 Days a Week!
www.ky-filters.com



Design — Experimentation — Measurement

Experimental Methods in RF Design brings professional RF design experience to the radio amateur. It's written for anyone with a driving curiosity about state-of-the-art equipment.



Contents:

- Basic Investigations in Electronics
- Chapters on Amplifiers, Filters, Oscillators, and Mixers
- Superheterodyne Transmitters and Receivers
- Measurement Equipment
- Direct Conversion Receivers
- Phasing Receivers and Transmitters
- DSP Components
- DSP Applications in Communications
- Field Operation, Portable Gear, and Integrated Stations

CD-ROM included with design software, listings for DSP firmware, and supplementary articles.

Experimental Methods in RF Design

512 pages. ARRL Order No. 8799 — **\$49.95***

*shipping: \$10 US (ground)/\$15.00 International

ARRL The national association for
AMATEUR RADIO

SHOP DIRECT or call for a dealer near you.
 ONLINE WWW.ARRL.ORG/SHOP
 ORDER TOLL-FREE 888/277-5289 (US)

HB 8/2005

KØXG Systems

– Rotating Tower Equipment for LF, HF, VHF and UHF Applications –

Ground and Tower Mounted Rotators

And a Complete Line of Tower Accessories, Including:

- Ground Mounted Base Bearings
- Internal-Mount Tower Rotator Shelves
- Heavy Duty Roller Thrust Bearings
- Guy Ring Bearings for All Size Towers
- Guy Ring Ice Covers
- Boom To Tower Plates and Brackets for Most Brands and Tower Sizes
- Boom To Mast Brackets
- Tower Insulator Adaptors
- ...and Much, Much More!



Ground mounted base for 300 feet of Rohn 55G/AB105.


Guy ring bearing installed on Rohn 55G tower.



Rotate those VHF/UHF stacks

V
H
F

U
H
F



Don't waste money on useless masts and pipe that you cannot climb. With one guy ring bearing and our elevated tower rotor you can rotate 50 feet of tower. This gives you the ability to add, remove or service any or all of your antennas without having to remove the lower beams. Install an HF tri-band beam, stack 6 meter and VHF/UHF antennas on one tower and run the hard line all the way to the antennas where it should be, instead of high loss coax.

Systems available for rotating from 30 feet of Rohn 25G tower up to over 300 feet of Rohn 80 tower.

Visit our web site!


www.k0xg.com

Professional installations of KØXG Systems components by:

XX Towers – (603) 878-1102

(563) 355-7451 ■ Bettendorf, IA 52722 USA ■ k0xg@k0xg.com

TITAN DX MULTI BAND VERTICAL



SINCE 1989

OPERATE THE
ENTIRE
BAND

ON
10 M
12 M
15 M
17 M
20 M
30 M
40 M
AND 100KHZ
80 M

#1 Selling
Vertical Antenna

CHALLENGER

VOYAGER

TITAN

ACCESSORIES

EAGLE

NEW

Standard **GAP** Features

NO TRAPS • NO TUNING

\$359.00

Quick Assembly
Elevated Feedpoint

TITAN FEATURES

Height 25 ft. • Weight 21 lbs.
MOUNTS ON A 1 1/4" OD PIPE
NO RADIALS REQUIRED

EXPAND YOUR MOUNTING OPTIONS!

GAP
ANTENNA PRODUCTS, INC.

Please Contact
Us for a
Free Catalog.

99 NORTH WILLOW ST. • FELLSMERE, FL 32948


(772) 571-9922

Visit Us At
gapantenna.com

See what's new



<http://www.icmfg.com>



- Tight Tolerance
- Low Phase Noise
- Ovenized
- Custom Precision Crystals


ICM
INTERNATIONAL CRYSTAL
MANUFACTURING CO., INC

PO BOX 1768 • 10 NORTH LEE
OKLAHOMA CITY, OK 73101

800.725.1426 • www.icmfg.com

The Fine Art of Hand Sent Morse Code... It's So Much More than Just Dots and Dashes!


Upon its debut at Dayton Hamvention in May of 2005, the STRAIGHTBRASS CW Key immediately captured the attention of both Seasoned Old Timers and New Comers to Amateur Radio alike!



Loaded with features you *just won't find* in any other CW straight key, the STRAIGHTBRASS key is more than just a "presentation piece", it's a finely-crafted precision instrument specifically designed to accentuate the on-air "voice" of the discerning brass pounder. In bands that these days seem awash in the mechanized drone of electronic keyer and computer-generated Morse, isn't it about time you put some "swing" into your CW notes?

Just a few of the Highlights...

- Major Frame, Pivot and Lever Components are Finely Crafted of Solid and Nickel-Plated Brass, and Polished with Diamond Paste to a Mirror-Like Finish.
- Base of Solid Granite – Heavy Enough to Stay Put Under Nearly Any Operating Conditions. Felt Padding on a Plate on the Underside of the Key Protects the Surface of Your Operating Desk.
- Stainless Steel Springs and Bearings Ensure Years of Smooth, Trouble-Free Service. (This Key Should Last a Lifetime!)
- Keying Contacts Made of Fine Silver (0.995) for Superior Electrical Performance. Electrical Contact Via Leaf Springs Makes the Current Paths Independent of the Bearings. Dual Blades for QSK (Full Break-In) Operation.
- Exclusive Triple-Start Threads on the Spring Tension Adjustment Screw and a Large Easy-to-Grip Adjustment Knob Make for Rapid Keying Force Adjustments that Precisely Retain Their Settings. Contact Spacing is Also Easily Adjustable by Hand.
- Connections for Both Dual Transmitter Keying and Dual Receiver Blocking, Selectable by the Placement of a "Plug" on Either Side. Connection Cables are Hidden, Discretely Exiting at the Lower Edge of the Rear of the Key.



Order Yours Today!

Visit www.STRAIGHTBRASS.com

Contact:

Carl Lodström, KQ6AX/SM6MOM

carl@straightbrass.com

STRAIGHTBRASS: *The Key to True CW Enjoyment!*

Problems with noise and interference?

DSP noise cancelling at its best

Listen clearly on SSB, UHF, VHF, HF and FM

Our products use fully adaptive Digital Signal Processing (DSP) to give:
Excellent speech quality * Superb Noise Cancellation 9 - 35dB * Tone reduction up to 65dB * up to 8 filter levels * Wide audio bandwidth 50Hz - 4.3KHz

HEAR-IT Speaker (NES10-2)



- Amplified DSP noise cancellation speaker
- Power On/Off audio bypass switch
- DSP On/Off switch
- LED indication of DSP function
- Mono headphone socket
- Up to 5W input and 2.5W output
- 6' 3.5mm jack plug audio lead
- 12 - 24V DC supply (500mA)

"level 4 provided remarkable noise suppression, without making the SSB sound hollow and brassy" CQ Jan 2005

HEAR-IT In-line module (NEIM1031)

- Fully featured in-line 'desk top' DSP noise cancellation unit
- Simply connects between your equipment and extension speaker
- Supplied with audio and power leads
- 2.5W max output
- Audio and line level inputs and outputs
- On/Off audio bypass
- Headphone socket
- 12 - 24V DC supply (500mA)

"the GAP noise-cancellation circuits pull the signal out of the noise and reduce the noise dramatically. We were impressed" CQ Jan 2005



Optional mounting stand

HEAR-IT DSP module (NEDSP1061-KBD)



- DSP noise cancelling PCB module for retrofit applications
- Easy to use single button operation
- LED and audio indication of DSP function
- 5 - 15V DC supply
- Low power consumption
- Complete internal fitting - no external wires
- Small size 1.06" x 1.45" x 0.6"
- Installation hardware and labels supplied with full fitting instructions
- Instruction manuals available for FT-817, TS-50, 706MII G, FRG-100, DX-77, Realistic DX-394

"When you are communicating with weak and noisy QRP stations, the bhi add-on DSP filter could be worth its weight in gold" RadCom Dec 2003

HEAR-IT Amplified DSP module (NEDSP1062-KBD)

- Installs easily into your extension speaker or speaker path of your transceiver/receiver
- Amplified DSP noise cancellation PCB module
- Audio bypass when switched off or power removed
- 3W audio power (4 Ohm)
- Supply voltage 12 - 18V DC (500mA max)
- Small size 2" x 1.5"
- Installation hardware and labels supplied with full fitting instructions
- Instruction manual with details for Yaesu SP8 and Kenwood SP31

"the on air performance in improving readability of weak SSB signals or those in noisy conditions were excellent" RadCom July 2005



See our website for your nearest dealer or see contact details below:

Designed and manufactured in Great Britain by:

bhi Ltd.

P.O.Box 136

Bexhill on Sea

East Sussex, TN39 3WD.

Tel: 0870 240 7258 Fax: 0870 240 7259

www.bhi-ltd.co.uk sales@bhi-ltd.co.uk



GAP Antenna Products Inc.

99 North Willow Street

Fellsmere, FL 32948

Tel: (772) 571 9922

Fax: (772) 571 9988

email: contact@gapantenna.com

www.gapantenna.com

Competitive Prices with Unsurpassed Small Store Service !

Memphis Amateur Electronics, Inc.

Your Ham Radio Store

New and Used Ham Radio
Equipment Supplier

Proudly Offering Products From
ICOM KENWOOD YAESU ALINCO
MFJ AMERITRON ASTRON DIAMOND HUSTLER
VAN GORDON LDG HEIL ARRL PUBLICATIONS

Order Online or Call Toll Free (800) 238-6168
www.memphisamateur.com

*Look for Us at a **Hamfest** Near You!*
Can't make it to the hamfest? Call us and we'll ship
it to you! Check our website for hamfest schedules.

Phone (901) 683-9125 Fax (901) 682-7165

1465 Wells Station Road
Memphis, TN 38108-3695

Store Hours: Mon.-Fri. 9 a.m. to 5 p.m. Sat. 9 a.m. to 12 p.m. CST

Contesting and DXing Products from Array Solutions

We Distribute a Tremendous Variety of High Quality Products from the Most Respected Companies in the Amateur Radio Market, Including those of...

- ACE HF • AN-Wireless • AY Technologies • Bushcomm Pty Ltd • Custom Metal Works • GeoClock • ICE Radio Products
- Integrated Tower Systems • Nello Corporation • Nittany Scientific, Inc • OptiBeam • Pro.Sis.Tel. • W3NQN • Yagistress

From the Labs at Array Solutions: The PowerMaster

The Next Generation of SWR/Wattmeter; Delivering Outstanding Accuracy and Functionality at a Price You Can Afford!

- **Available in Two Versions** – 1 W to 3 kW (amateur) and 1 W to 10 kW (military/commercial)
- **Accuracy Within $\leq 5\%$ from 1.8 to 54 MHz** – Temperature and frequency compensated
- **Separate Control Head and Coupler/Sensor** – Sensor can be remotely located for the ultimate in shack and mobile installation convenience, and moves high levels of RF away from your operating position – Say goodbye to RF!
- **High VSWR and Low and High RF Output Power Alarms** – Programmable trip points with warning LEDs and relay outputs – tremendously handy for contesters and DXers! Lightning fast trigger response will protect your rig, your amplifier, *and* your rate!
- **Auto-Ranging Bar Graph Display Operates in Two Modes** – Simplifies peaking your RF output or dipping your VSWR
- **Large Vacuum Fluorescent Display** – Easy to read, even in bright sunlight
- **Peak Hold Modes** – Programmable for fast, medium and slow response for CW and SSB
- **Effective 12-bit A/D Processing** – Resulting in outstanding resolution and accuracy
- **Meter Operation and Menu Functions Accessible from Front Panel or Via RS232 Connection** – Capable of displaying up to 16 alphanumeric characters – your call sign, for example
- **RS232 Application for Your PC** – Complete control and programming via computer, perfect for remote station applications; firmware can be updated via Web site downloads
- **All Metal Enclosure** – Rack mount option available (1 or 2 units in a 19-inch 2U panel)
- **Choice of Connectors** – SO239 or Type-N (Sensor connector: 7/16-inch DIN)
- **Control/Display Head Dimensions** – $3\frac{1}{2}$ X $8\frac{1}{4}$ X $4\frac{1}{4}$ inches (HWD)
- **Remote Coupler/Sensor Dimensions** – $2\frac{1}{4}$ X $2\frac{3}{4}$ X $6\frac{1}{2}$ inches (HWD)




We've got your stuff!

www.arrayolutions.com

Phone 972-203-2008
sales@arrayolutions.com
Fax 972-203-8811



Visit Our Web Site for Complete Information on All of Our Products!



BUDDIPOLE

The Buddipole™ Portable Dipole fits in your travel bag and assembles in minutes. The Buddipole™ is more than an antenna, it's a versatile system for launching your signal. Optimized for transmit power and proven for DX work, the Buddipole™ is the secret weapon used by HF portable operators all over the world.

What is the Buddipole™?

- Portable Dipole Antenna System
- Multi-band design works 9 bands – 40 meters thru 2 meters with one set of adjustable coils!
- Rated from QRP to 250 Watts PEP
- Modular Design
- Rotatable/Directional
- Lightweight, rugged components
- Optional Rotating Arm Kit allows users to instantly change antenna configurations
- Used by the U.S. Military Special Forces and Emergency Services Groups throughout the world

The Buddipole™ Deluxe Package



The Buddipole Deluxe Package includes all the items that come with the standard Buddipole antenna plus these following extras:

- A Buddipole tripod
- B Collapsible mast
- C Rotating arm kit
- D extra telescopic whip
- E extra set of coil clips
- F Everything fits within our padded 1000 denier cordura plus nylon carrying case.

Overall length is only 24" and total weight is under 10 lbs!



GO TO
www.buddipole.com

email us at info@buddipole.com

2390 Templeton Drive 530.226.8446 tel
 Redding, CA 96002 530.232.2753 fax

Antenna Attention!

Design, build and install antennas that work.

The ARRL Antenna Book — 20th Edition

In depth coverage of antennas, feed lines, and propagation.

Book with CD-ROM. ARRL Order No. 9043—\$39.95*

The **ARRL Antenna Book** is THE SOURCE for current antenna theory and a wealth of practical, how-to construction projects. Extensively revised, and featuring antenna designs enhanced by the latest advances in computer modeling. Design, build and install any imaginable type of antenna—from the most simple wire varieties, to specialized or highly optimized arrays.

Fully searchable CD-ROM included

Bundled with this edition is the fully-searchable book on CD-ROM and additional software utilities**. The CD-ROM supports Windows and Macintosh systems. At your command is the entire book—every word and every page—PLUS pages of band-by-band propagation tables for locations around the world! Uses the widely popular Adobe® Acrobat® Reader software (included) to **view, navigate, search and print from all chapters**.


The CD-ROM also includes three updated and improved programs (for Windows):

YW—Yagi for Windows

TLW—Transmission Line for Windows

HFTA—HF Terrain Assessment

EZNECARRL—Antenna Modeling by W7EL



Contents:

- Safety First
 - Antenna Fundamentals
 - The Effects of the Earth
 - Antenna Modeling and System Planning
 - Loop Antennas
 - Low-Frequency Antennas
 - Multiband Antennas
 - Multielement Arrays
 - Broadband Antennas
 - Log Periodic Arrays
 - HF Yagi Arrays
 - Quad Arrays
 - Long Wire and Traveling Wave Antennas
 - Direction Finding Antennas
 - Portable Antennas
 - Mobile and Maritime Antennas
 - Repeater Antenna Systems
 - VHF and UHF Antenna Systems
 - Antenna Systems for Space Communications
 - Antenna Materials and Accessories
 - Antenna Products Suppliers
 - Antenna Supports
 - Radio Wave Propagation
 - Transmission Lines
 - Coupling the Transmitter to the Line
 - Coupling the Line to the Antenna
 - Transmission-Line and Antenna Measurements
 - Smith Chart Calculations
- Includes a comprehensive glossary and index

**CD-ROM System Requirements: Microsoft Windows 95 or later; or Apple Power Macintosh computer, Apple System Software version 7.1.2 or later. Additional software utilities are included, for Windows and DOS only.

The ARRL Antenna Classics series!

ARRL's Wire Antenna Classics and More Wire Antenna Classics

So many wire antenna designs have proven to be first class performers! Here's an entire book devoted to wire antennas, from the simple to the complex. Includes articles on dipoles, loops, rhombics, wire beams and receive antennas—and some time-proven classics! An ideal book for Field Day planners or the next wire antenna project at your home station.

Volume 1. ARRL Order No. 7075—\$14*

Volume 2. ARRL Order No. 7709—\$14*

Build portable, mobile and fixed antenna designs

ARRL's VHF/UHF Antenna Classics

Ground planes, J-poles, mobile antennas, Yagis and more. Build a better antenna for your hand-held radio. Construct a 2-meter Yagi that will rival similar commercial antennas. Build a dual-band vertical for 146 and 445-MHz. The results will be rewarding!




ARRL Order No. 9078—\$14.95*

ARRL's Yagi Antenna Classics

Yagis, Quads, Loops, and other Beam Antennas

A wealth of ideas from some of the leaders in antenna design and experimentation of the last 70 years. Covers monobanders; multibanders; HF, VHF and UHF beams from 80 meters to 2304 MHz; computer modeling; towers, masts and guys. Some of the very best articles from *QST*, *QEX*, *NCJ* and other ARRL publications.

ARRL Order No. 8187—\$17.95*



Vertical Antenna Classics

Vertical antennas are everywhere—on cell phones, broadcast towers and portable radios. You'll also see them on the roofs, towers and vehicles from Altoona to Australia. And for good reason! Here are some top-notch performers from ARRL publications, brought together in one book. Vertical antenna theory and modeling, VHF and UHF, HF, directional arrays, radials and ground systems, and more.

ARRL Order No. 5218—\$12*

*Shipping and Handling charges apply. Sales tax is required for orders shipped to CA, CT, VA and Canada. Prices and product availability are subject to change without notice.

ARRL The national association for
AMATEUR RADIO

225 Main Street, Newington, CT 06111-1494 tel: 860-594-0355 fax: 860-594-0303

In the US call our toll-free number **1-888-277-5289** 8 AM-8 PM Eastern time Mon.-Fri.

www.arrl.org/shop

HB 8/2005